	Scout Report sent out
등록하기 중요하고 이렇게 되었다. 급해보고 하면 역사님이라지 않다.	Noted in the NID File
	Location map pinned
	Approval or Disapproval Letter
	Date Completed, P. & A. Ot operations suspended
	Pin changed on location map
	Affidavit and Record of A & P
	Water Shut-Off Test
	Gas-Oil Ratio Test
	Well Log Filed
	보고 문항에게 고면하는 것이라고 말을 하고 있는데 됐다고 다. - 이렇다 이 아시아 (조리) 사람이 있는데 이 아시아 (조리) 사람이다.
	Checked by Chief
	Copy, NID to Field Office
	Approval Letter
어린 기회에 가장 보고 있다.	The second of th

[1] 이번 동네를 됐다고 한 것이 이약을 잃었다고 다		
Entered in NID File	Checked by Chief	er theore
Entered On S R Sheet	Copy NID to Field Office	
Location Map Pinned	Approval Letter	
Card Indexed	Disapproval Latter	******
I W R for State or Fee Land		
COMPLETION DATA: Date Well Completed 4-27-56	Location Inspected	
OWTA	Bond released	
GW OS PA	State of Fee Land	
/ Loe	FILED ()	
Driller's Log 228-38		
Electric Logs (No.)		
E I BI	GR GR.N Miefe	
	onic Others Ladisable	uly
		//

Form 9-331	b
(April 1952)	

0	·	
	,	,
	- /	

(SUBMIT IN TRIPLICATE)

	,	,	
_			

Budget Bureau No. 42-R359.4. Approval expires 12-81-60.

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

No. 177844

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OF REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY WELL HISTORY.
NOTICE OF INTENTION TO ABANDON WELL	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Mavajo Tribe	#P#		Jers B	orth, Tex	Lo, March	19 500
1		660 ft.	from Nine	and 660 ft	. from $\{W\}$ line	of sec.
MV}MVE, Sec.	4	1-South	25-Kast	SLM	, , , , , , , , , , , , , , , , , , ,	
(14 Sec. and Sec. No.)		(Twp.)	(Range)	(Merid	ian)	
Makino Creek	Ext	San	Juan		Utah	
(Field)		(Co	unty or Subdivision)		(State or Territo	ory)

The elevation of the derrick floor above sea level is 4625 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, comenting points, and all other important proposed work)

OPJ	TRIVE P	CRMATICAL	3121	CASING	CASING PROGR	LAN (APPROX.
-			8-5/8" (1500	1) 24.06 Ees	306 85 1300'	Coment 1000 sz.
Top o	Anoth	5500	5-1/4" 5500	24.0# How 14.0# How 15.5# New	670Å)	500 e*
		4 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	2-1/5 / EGO	1 +3.50 Men	2100	300 BY!

7	Nava Cibe of Indian	Lands 00	
Sec. 29 The Texas Co. Lise "F	Sec. 28 Continental Lse.	Sec. 27 Continental Lise.	Sec 26' Sinciair Lse.
			7 40 5
Sec. 32 Superior Lse.	The Te.	Sec. 34 io Tribe"P" xas Co. Lse 560 Ac.	Sec. 35 Honolulu Lse.
	R	? - 25 - E	
42-5 © Sec 5	500 Sec. 4 500 1820 7 5 1890 7 6 1820	Sec. 3	Honolulu Lse. Sec. 2 T G D Fehr 41 Lse. S
Sec. 8 Carter Lse.	Sec. 9 Superior Lse. 'J''	Sec. 10 Superior Lse. SAN JUAN COUNTY, UTAH Scale 1" = 2000"	Sec. 11 Honolwic Ise.

This is to certify that the courses, distances and objects reflected on the plat to which this certificate is affixed were observed and compiled under my supervision and, according to my best knowledge and belief, are true and correct.

Division Civil Engineer The Texas Company

Registered Professional Engineer - State of Texas

(c)

The Texas Company P. O. Box 1720 Fort Worth 1, Texas

Attention: J. J. Velten, Division Civil Engineer

Gentlement

This is to acknowledge receipt of your notices of intention to drill Well No. Navajo Tribe P-4, which is to be located 660 feet from the north line and 660 feet from the west line of Section 4, and Well No. Havajo Tribe P-5, which is to be located 1880 feet from the south line and 1890 feet from the cest line of Section 4, Township 41 South, Range 25 East, SLEM, Sen Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said wells is hereby granted.

This approval terminates within 90 days if the above mentioned wells are not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT SECRETARY

OBF: en

ee: Phil McGrath

USGS, Farmington,

New Mexico

ICATE)

Budget Bureau No. 42-R359.4. Approval expires 12-31-60.

(April 1952	2)	(SUBMIT IN TRIPLICATE)
		United States
<u>. </u>		DEPARTMENT OF THE INTERIOR
		GEOLOGICAL SURVEY

Indian Agency	•
Tribel	
Allottee	
14-90-602-20	^

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF
	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT.
NOTICE OF INTENTION TO PULL OR ALTER CASING.	SUPPLEMENTARY WELL HISTORY.
1 A	
	<u> </u>

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Tribe "P"		June 27	, 19 _58 _
	660 ft. from [N] line and 660	ft. from W line of	sec
(y Sec. and Sec. No.)	(Hange)	(Maridian)	
McElmc Creek Ext.	San Juan	Utah	
(Field)	(County or Subdivision)	(State or Territory)	

The elevation of the derrick floor above sea level is 4721. ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed work)

Spudded April 4, 1958.

Drilled 17-1/4" hole to 117' and cemented 108' of 13-3/8" O.D. casing at 117' with 200 sacks of cement. Cement circulated.

Drilled 11" hole to 1503' and cemented 1491' of 8-5/8" 0.D. casing at 1503' with 1250 sacks of cement. Cement circulated. Tested casing with 800# pressure for 30 minutes. Tested OK.

I understand	I that this plan of work must receive approval in writing by th	• Geological Surv	ey before operations may be commenced.
	The Texas Company		
Address	Bex 817		- and
	Farmington, New Mexico	By	At Ingu
		Title	Dist, Supt.
	U. S. GOVERNMENT PRINTING APPICE	1 484 37b-8	

Sec. 29 The Texas Co. Lse*F	Nava tibe of Indian I Sec. 28 Continental Lse.	Sec. 27 Continental Lse.	Sec 26' Sinclair Lse.
Sec. 32	Sec. 33	Sec. 34	7 40 5 Sec. 35
Superior Lse.	Nava io	Tribe "P"	Honoluki Lse.
	The Texa	os Co. Lse O Ac.	
The second	R-	25	
42-5 O Sec 5	1820' - 0 Sec. 4	Sec. 3	Henolulu Lie. Sec. 2 T GD Fah- 41 S
Sec. 8 Carter Lse.	Sec 9 Superior Lise "J"	Sec 10 Superior Lee.	Sec. 11 Honologic Lisec

SAN JUAN COUNTY, UTAH Scale |" = 2000'

This is to certify that the courses, distances and objects reflected on the plat to which this certificate is affixed were observed and compiled under my supervision and, according to my best knowledge and belief, are true and correct

Division Civil Engineer
The Texas Company
Registered Professional Engineer - State of Texas

(SUBMIT IN TRIPLICATE)

- 3		
	9	

Budget Bureau No. 42-R359.4. Approval expires 12-31-60.

idian Agency Navajo

 				•		
200	_	4	١.	_	4	

0			
		[

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

THEOLOGO	
Lease No	14-20-603-2057

1-15 Sb

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF WATER SHUT-OFF

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Navajo Tribe	mpu	<u> </u>	19.58
Well No4	is located 660 ft. from $\mathbb{S}^{\mathbb{N}}$ lin	e and 660 ft. from $\binom{\mathbf{x}}{W}$ line of sec.	4
NWt of Sec. 4	41-S 25-E	SLM	
(14 Sec. and Sec. No.)	(Twp.) (Range)	(Meridian)	
McElmo Creek (Field)	San Juan (County or Subdivision	(State or Territory)	

The elevation of the derrick floor above sea level is 4721. ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 6-3/4" hole to 5662' and cemented 5654' of 4-1/2" G.D. casing at 5662' with 250 sacks of cement. Top of cement 4300'. Tested casing with 1000# pressure for 30 minutes. Tested OK.

The Texas Company


Address Box 817

Farmington, New Mexico By

Dist. Supt.

U. S. GOVERNMENT PRINTING OFFICE

Form 9-330



U. S. LAND OFFICE Navajo Tribal
SERIAL NUMBER 14-20-503-2057

LEASE OR PERMIT TO PROSPECT

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

71-14-58

LOCATE WELL CORRECTLY

LOG OF OIL OR GAS WELL

Compar	ny	ne Texas	A All Pari	.	Addres	S	AND THE PARTY OF T		
						Aneth			
Well No	o	Sec	T. 41-5R.	. 25-5 Mer	idian	LM Cot	intySo	n Ju e n	
Location	n 560	ft. of N	Line ar	nd 660ft.	{E. of M	Line ofSect	:16h 4	Elevatio	on 4721
						t regord of the w			
so far a	s can be	determined f	rom all av	railable rec	ords.	At to	1/h_	The state of the s	
-	*		IOER		gned		Dist.		
		uly 25.]			of the well	V I	/ ************************************	JAP. V	<u></u>
			-			at above date.	Amosta	22	10 SR
Comme	enced dru	ling		-					, 19.58.
			OI		AS SANDS G Denote gas by G)	OR ZONES			
No. 1.4	from L	5 40 62	to I 55	TO MAKE	QDQ MEXCA.	from 21. SII	111 p. 16	Mag.	
No. 2, 1	from	soo grale	up Lel	ular li	Y AG No. 5	drom moraci	erolle 	[] Y - D -	[,180
7/4	(a)	norda ze.	00 PT	31 31	ar tonnere	from S. £710	ove je Unite	33001	30 G
AT O		ala debada da Mari	Ta002.5a 334	40 Table 20 See 12 Table 20 Ta		Truerie - Language - Albania	12.11.11.11.100		
No. 3, 1	EEOU(;	5-10 cc	Detal.	· Don't John	coes on .	7 3230. <i>0</i> 0	1 2247°	1274 55	93:
No. 3,4	EROTU:	Algo re	Sales A	MPORTA	NT WATER	SANDS			Q3.
No. 1	r frontzia		tografic tografic	MPORTA	NT WATER	from)		(건경)
No. 1	r frontzia		tografic tografic	MPORTA	NT WATER	sands from 15)		·
No. 1	r frontzia		tografic tografic	MPORTA	NT WATER	from from)		· · · · · · · · · · · · · · · · · · ·
No. 1, 1	front :	Threads per	tografic tografic	MPORTA	No. 4	from from	to Perfora	ated	Purpose
No. 1, 1	from:	Threads per inch	to to Make	CAS	No. 4 No. 4 No. 4 No. 4 No. 4 No. 4	from from Cut and pulled from	to Perfor: From—	ated To-	Purpose
No. 1, 1 No. 2, 1 Size casing	front	Threads per inch	to Make	CAS Amount	No. 4, No. 4, No. 4, No. 4, No. 4	from from Cut and pulled from press beautions	Perfors From—	ated To-	Purpose & or bailing
No. 1, 1 No. 2, 1 Size casing	front	Threads per inch	to Make	CAS Amount	No. 4, No. 4, No. 4, No. 4, No. 4	from from Cut and pulled from press beautions	Perfors From—	ated To-	Purpose & or bailing
No. 1, 1 No. 2, 1 Size casing	front	Threads per inch	Make Make	CAS Amount sug 1401	No. 4, No	s made in the casin s begge at a in the casin steries and project to the casin of t	Perfors From—	ated To-	Purpose & or bailing
No. 1, 1 No. 2, 1 Size casing	front	Threads per inch	Make Make	CAS Amount sug 1401	No. 4, No	from from Cut and pulled from press beautions	Perfors From—	ated To-	Purpose & or bailing
No. 1, 1 No. 2, 1 Size casing	front	Threads per inch	Make Make Make HI	STORY CONTROL OF THE STORY CONTROL OF THE STORY CAS	DE OIL OR OF OIL OR OIL OIL OR OIL	cas Well. Plant ate in de same in de same in the casin sterial and position terial and brilled team Cont and brilled team thom, Thom	Perfors From—	ated To-	Purpose & or bailing
No. 1, 1 No. 2, 1 Size casing	from E. S. Weight per foot	atest in the set and atest in the war. There are the transfer there are the transfer to the tr	Make Make HI MUDI	STORY CONTROL OF THE STORY CONTROL OF THE STORY CONTROL OF THE STORY CASE OF THE STO	DE OIL OR OF OIL OR OIL	CAS WELL. Same in the casin of	state fully wed recall the date is a wed recall the below to	ated To- 2 of pumping 5, and if any 2 of edition.	Anthre office casing wa casing wa for bailing for bailing
No. 1, 1 No. 2, 1 Size casing	front	atest in the set and a test in the war. There are the test in the set and a test in the	Make Make Make Muli Muli Muli ber sacks of ce	STORY CONTROL OF THE STORY CON	DE OIL OR OF OIL OR OIL OIL OR OIL	cas Well. Plant ate in de same in de same in the casin sterial and position terial and brilled team Cont and brilled team thom, Thom	state fully wed recall the date is a wed recall the below to	ated To-	Anthre office casing wa casing wa for bailing for bailing
No. 1, 1 No. 2, 1 Size casing	from E. S. Weight per foot	atest in the set and a test in the war. There are the test in the set and a test in the	Make Make Make Mulpi Mulpi	MPORTA CAS CAS CHEST COMPANIE CHEST COMPANIE COMPANIE CHEST COMPANIE COMPANIE COMPANIE COMPANIE COMPANIE COMPANIE COMPANIE COMPANIE CAS CAS	NT WATER No. 3, No. 4, ING RECOR	from Cut and pulled from Special Corporate in the casin spec	state fully wed recall the date is a wed recall the below to	ated To- 2 of pumping 5, and if any 2 of edition.	Anthree errice casing wa red numbe g-or bailing barbose
No. 1, 1 No. 2, 1 Size casing	from E. S. Weight per foot	atest in the set and a test in the war. There are the test in the set and a test in the	Make Make Mudi Mudi ber sacks of ce	MPORTA STORY C STORY C CAS THE STORY C CHEST TO STORY CH	NT WATER No. 3, No. 4, ING RECOI	from from Cut and pulled from Special Company of the casin of the c	state fully wed recall the date is a wed recall the below to	ated To- 2 of pumping 5, and if any 2 of edition.	Anthree errice casing wa red numbe g-or bailing barbose
No. 1, 1 No. 2, 1 Size casing	from E. S. Weight per foot	atest in the set and a test in the war. There are the test in the set and a test in the	Make Make Make Mulpi Mulpi	MPORTA STORY C STORY C CAS THE STORY C CHEST TO STORY CH	NT WATER No. 3, No. 4, ING RECOR	from from Cut and pulled from Special Company of the casin of the c	state fully wed recall the date is a wed recall the below to	ated To- 2 of pumping 5, and if any 2 of edition.	Anthree errice casing wa red numbe g-or bailing barbose
No. 1, 1 No. 2, 1 Size casing	from E. S. Weight per foot	atest in the set and a test in the war. There are the test in the set and a test in the	Make Make Mudi Mudi ber sacks of ce	CAS Amount CAS CAS CAS CAS CAS CAS CAS CA	NT WATER No. 3, No. 4, ING RECOI	from Cut and pulled from Local Market in de Special Market in de Mud gravity Mud gravity Mud gravity	To to	ated To— Port hambure So to hostion So et redelli	For bailing Barbose Brid number Casing wa The bailing Brid number Anthropose
No. 1, No. 2, Size casing 33/38 441/4	from E. S. Weight per foot	Threads per inch or bridge vers eft in the vers attest input eff. Threads per	Make Make Mudi Mudi ber sacks of ce	MPORTA STORY C STORY C TO THE STORY C CAS TO THE STORY C	No. 3, No. 3, No. 4, No. 4, No. 3, No. 4, No. 4, No. 4, No. 4, No. 3, No. 4, No	from Cut and pulled from Local Market in de Special Market in de Mud gravity Mud gravity Mud gravity	state fully wed recall the date is a wed recall the below to	ated To— Port hambure So to hostion So et redelli	Purpose Purpose

}-3/8	1171		E C C C C C C C C C C C C C C C C C C C	TO THE PARTY OF THE PARTY.	.ibur	AND THE RESERVE TO SERVE TO SE				
-5/8	1503!		1250	20100000000000000000000000000000000000						
₩1/2	2005.		250	-Hall	-ibur	son-				
5			PLUC	GS AN	D ADA	PTEI	RS			
Heaving pl	lug-Mater	rialMc	me					Depth	set	
Adapters-	-Material	No	one	_ Size						
•	*		100 pate/	OOTI	NG RE	CORE				
Size	Shell used	i E:	xplosive used	Qua	ntity	Date	Depth she	ot	Depth	cleaned (u
None										
				ļ						
		recter/			S USE				2 4 5-2547	¥2.5
	1		fee							
Cable tools	were used	from	None fee	34 (1		feet	t, and from		feet	to
			10	D	ATES		du sie -	errangous va	Victoriae mark	
			5/ A				ducing			
	Above		t 24 hours wa						1760	
emulsion;	% wat	er; and	$\frac{1}{2}$ sediment	10×	7,7002	·)	Gravity,	Bé.	ു8°_	
If gas	well, cu. f	t. per 24 ho	ours		Gallo	ns gas	oline per 1,0	000 cu.	it. of ga	S
Rock	pressure, l	bs. per sq.	in							
					LOYEE	S			75.77	Y.
О. Н	. Daver	port	, Drille	ľ	- 1116± - 111,111	· · · · · · · · · · · · · · · · · · ·	Glenn M	litchu	<u> </u>	
PY	oung-		, Drille	r	70,47	,			# 314 · .	.; }
		and the second s	FOR	MATI	ON RE	COR	D 7.7(5		3 70.	. 75
FROM-		то-	TOTAL FE	ET			7.4 A 7.13	BMATION	L Jene	
									ANTO THE PART OF	
337		117	117		Sand		Rocks -		- V-3	igr,
117 538		538 1301	421 763	15.			Amby dvit Shal e o		- 31. - 31	* See
1301		1520	219		Shal	le &	Anhydri	IZA. te		4 V.
1520	=	2778	1258		Sand	1 & :	Shale To	E (1.1.1)		
2778 3735		3735 39 2 8	957		Shal		T.ima			
3928		4114	193 188		Shal	• 40	Lipe	30112	Ba Da	r. :::
4114 4442	I	4442	328		Shall	A &	Rond	26	ser on de	ري
cheftet &		5662	1220				Shale -	•A 164	er er er	· 11/
Tota	1 pepth	56621	•	8	1,11,277		ra Reck	1987 39	#50 876 B	
Plug	zed Rac	k Depth	5645		18700 mm - 1970	DOT MYTH	14	6.1 402	98 99 99	
	1	pr wa	-		#3.F#	1191.	ret 🕶	56. 66	. i	· + 133
						WT6				
			B			i at Mar				*) *
								er my	** in-	~ 2
			=				TAMAYI	or the former	-	
							ALCON N. L.	Udidia Ni	Soft of	
		ro-	TOTAL FE	EL			F.C	MALATION	()	
EROPE-	5 4									

W

	2.0			7-11-1-1			C. V. Service Co.
FROM-	то-	TOTAL FEE	P .		FORMAT	TION	
					90		
					<u>FORMATION</u>	TOPS	
				Navajo		5	?3!
		^	1	Kayent Wingat		10	34 * 33 *
				Chinle Shinar	* * * *	13	
.561.61	out yaips	2312.		Hoskin	nini	23	90 t
, (/::E1	esta Rossi			DeChel Orzan	ly Rock	25	50 50
:*\ ! ***:3	2.55	7680		Hermos	2	44(54
	4114	250		Parado		560	19.
	21.774 3- 45 -7	103		Shale h	ruation Top	s as per EL.	
5.130 1.50) (5) 1.72	7526		SHALE	MATOHOLE S	0004040	
	5.143 1.157	510	1	211870	THAT LICE		
2.19	1.JO3 133	\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		Send 17	17:140 11/ 17:140 1503	- 17-1/4"	
	1 3 a. h	273		2844 35	08% to 5662	- 5-3/4"	
FON -	T-0	EGRACIE VAND			DEVIATIO		-
		FORA FORA		WISHON	г 1-1\5 ₀	3910' - 1/2	9
	<u> </u>	, Driller		5444 DN 746 0R	- 1/20	horat 4 A	.0
		, Driller		3820;	= 3%+°	5577' - 1/2	Prill
TROOT INTO	ure, lbs. per sq. i			OYEES	3 , .	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
	cu. ft. per 24 ho	1		Gamons gas	soune per 1,000 c	u. ft. of gas	
nulsion 1 me	Salik Sinety P	Teoligent.	Lok	floor, l	o Grayiove ar	oun4.	
1		1200				/o was oil;	
		302:2-		Put to pro	oducing 	ه در والمحادث و المحادث و المحادث	19,70
apie cocis wer	asea mom	1600		TES	o, and Hour	feet to	∞ re
		1	1			feet to	
		1		s USED	. 1 0		6
Size S	hell used — Ex	(plosivo used	Quan	tity Date	Pepta shot	Pepth Geaned out	
Size		SHO	OTIN	G RECORI)	Depth cleaned out	<u> </u>
dapters – Mar size s	erial	SHO	Size	G RECORI)		ennan -
dapters – Mar size s	erial	sho	Leng Size OTIN	gthG RECORI	Dep	th set	enados.
dapters – Mat	erial	PLUG	S ANI Leng Size OTIN	D ADAPTE	Dep		
dapters – Mar size s	erial	PLUG PLUG SHO	S ANI Leng Size	gthG RECORI	Dep		

LEASE OR PERMIT TO FROSPICT

		 	-		-	
İ						
1						
		 				-
1						
-		 			egrone l	<u></u>
Ì	1					
	1			6 5		
1						

Adapters-Material

FOLD | MARK

UNITED STATES

DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

Heaving	D]ne	Materi	F)	/15/25/59	PLUC	S AN Len	D ADAF gth	TERS		Depth set	0000 8	
	**************************************							1				**************
1.		77.2		Control		1167		in a si				
			*.***		¢ 1,,	223	n		•			
ruporaria		- E		##7.453#		1 - 4 1						
Size casing	Where	set	Mumbe	r sacks of ce	meat	74	thod used	31	ud gravity		nount of m	rid ised
				MUDD	DING A	ND C	EMENT	ing ri	ECORD			
					1			1		16-42004-2		
			********	HI	STORY	OF C	OIL OR	GAS W	ELL	-16 4 3094-2	S. GOVERNMEN	F PRI VI ING OFFIGE
sidetrack	easons ced? or	for the w left in th	erk and e well, gi	its results. ve its size	and locat	e were	any change	s made i	n the casin	g, state full	y, and if a	lling, together ny casing was n, and number ing or bailing
	er foot	Itt	Gin .	Make	Amoun	16 797	mu of snoc	Care Stru	pulled from	Wor!-	To-	Purpose
Sixo	Weight	Fires	gs bes	Paulo	41330 11	54 KS	nd of shoo	Cast and	Dillind Froms	Perfor	ated	Pitrase
No. 1, vi.	ter	SNA(v)	ing,	WOLL	raeyie	(Denot	ANDS (gas by G)	ele c	f oil	allons in 4 M	burs.	
Commen	eed dr	illing	TON	and the	·)	19. 🚉	. Finish	ed drill	ing $^{\mathbb{Z}}$, varij	53	, 19.5.2
						7	${f f}$ the wel	l at abo		No.		
Date	y?								Title	1.7.35	grill,	
	inforn	ation g	iven he	rewith is	a comp	olete a	nd corrects.					one thereon
Location		. ft. (3.	of	Line at	nd - 🚟	ft. K.	() of .W	Line of	इंबर	tian A	Fleva	Uicn 1 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Lessor or	Tract	1181		Tale City			Field -	1/1/	acu -	State		
Company	7		KÇE (go isa	a wa M		Addres	38 <u> </u>	4 917.	Par II	eser Eligiber	17 .
		L CORF										
	T	TT	T	7	r	OC	OL (oir (OR C	SASV	VEL.	* \$
			+ +-	-	_	_						
			1	-								
							.					

SHOOTING RECORD

(April 1902)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

	Budget Bureau No. 42–R359.4. Approval expires 12–31–60.
	Indian Agency Mavajo
	Tribal
l	Allottee

OTICE OF INTENTION TO	DRILL	lt	SUBSEQUENT REPOR	RT OF WATER SHUT	-OFF	
NOTICE OF INTENTION TO	CHANGE PLANS		SUBSEQUENT REPOR	T OF SHOOTING O	R ACIDIZING	XX
NOTICE OF INTENTION TO	TEST WATER SHUT-O	FF	SUBSEQUENT REPOF	RT OF ALTERING CA	asing	
IOTICE OF INTENTION TO	REDRILL OR REPAIR	WELL	SUBSEQUENT REPOF	T OF REDRILLING	OR REPAIR.	
IOTICE OF INTENTION TO	SHOOT OR ACIDIZE		SUBSEQUENT REPOR	RT OF ABANDONME	NT	
NOTICE OF INTENTION TO	PULL OR ALTER CAS	ING	SUPPLEMENTARY W	ELL HISTORY		
NOTICE OF INTENTION TO	ABANDON WELL					
	(INDICATE ABOVE B	Y CHECK MARK NATU	IRE OF REPORT, NOTI	CE, OR OTHER DATA	1)	
			· · · · · · · · · · · · · · · · · · ·	July 2	.	, 195
avajo Tribe '		n	· ·		(TT)	
ell No	is located	660 ft. from	line and 66	ft. from	$\left \begin{array}{c} \bullet \\ \bullet \end{array} \right $ line of se	c
A Sec. 4 (34 Sec. and Sec. No.)		1-3 25-K	inge)	SIM (Meridian)	,	
cElmo Crack	· · · · · · · · · · · · · · · · · · ·	San	Juan		Utah	
(Field)	PART OF STREET	(County or Sul	bdivision)	(St	ate or Territory)	
ne elevation of the	derrick floor al	pove sea level i	of WORK	f proposed casings; work)	indicate mudding	jobs, cemė:
ne elevation of the	derrick floor al	DETAILS	of WORK	f proposed casings; work)	indicate mudding	jobs, come
ne elevation of the	derrick floor al	DETAILS sands; show sizes, we coints, and all other is	of WORK eights, and lengths of	work)	indicate mudding	jobs, cemė
ne elevation of the	derrick floor al	DETAILS sands; show sizes, we coints, and all other i	of WORK eights, and lengths of important proposed depth 564	.5 * e		
ne elevation of the	derrick floor al	DETAILS sands; show sizes, we coints, and all other i	of WORK eights, and lengths of important proposed depth 564	.5 * e		
ne elevation of the	derrick floor al	DETAILS sands; show sizes, we coints, and all other i	of WORK eights, and lengths of important proposed depth 564	.5 * e		
e elevation of the atenames of and expected otal depth 50 erforated 4-30 5476°, 5480 5578°, with	derrick floor ald depths to objective ingresses for the second of the se	DETAILS sands; show sizes, we coints, and all other in the coints. gged back g from 544 5494	of WORK eights, and lengths of important proposed depth 564 06' to 541 to 5506', ot. Ran 2	5', 1', 5414' 5530' to	to 5433 55471 a to 53861	', 54 nd 55 with
ne elevation of the atenames of and expected that depth 50 prior ated 4-30 5476°, 5480 prior set at	derrick floor ald depths to objective ingressed for the same of th	DETAILS sands; show sizes, we coints, and all other in the size of	of WORK eights, and lengths of important proposed depth 564 6 to 541 to 5506', ot. Ran 2 perforati	1', 5414' 5530' to " tubing ons with	to 5433 55471 a to 53861 9500 gal	, 54 nd 55 with lons
ne elevation of the atenames of and expected that depth 50 prior ated 4-30 5476°, 5480 prior set at	derrick floor ald depths to objective ingressed for the same of th	DETAILS sands; show sizes, we coints, and all other in the size of	of WORK eights, and lengths of important proposed depth 564 6 to 541 to 5506', ot. Ran 2 perforati	1', 5414' 5530' to " tubing ons with	to 5433 55471 a to 53861 9500 gal	, 54 nd 55 with lons
ne elevation of the atenames of and expected that depth 50 or 5476°, 5480 or 5578° with acker set at	derrick floor ald depths to objective ingressed for the same of th	DETAILS sands; show sizes, we coints, and all other in the size of	of WORK eights, and lengths of important proposed depth 564 6 to 541 to 5506', ot. Ran 2 perforati	1', 5414' 5530' to " tubing ons with	to 5433 55471 a to 53861 9500 gal	, 54 nd 55 with lons
ne elevation of the atenames of and expected that depth 50 or 5476°, 5480 or 5578° with acker set at	derrick floor ald depths to objective ingressed for the same of th	DETAILS sands; show sizes, we coints, and all other in the size of	of WORK eights, and lengths of important proposed depth 564 6 to 541 to 5506', ot. Ran 2 perforati	1', 5414' 5530' to " tubing ons with	to 5433 55471 a to 53861 9500 gal	, 54 nd 55 with lons
otal depth 50 strong ted 4-2 strong ted 4-3 strong	derrick floor ald depths to objective incre 662'. Plu 1/2" casin 0' to 5487 4 jet sho 5131' and cid in 3 s	DETAILS sands; show sizes, we coints, and all others gged back g from 544 5494 ts per foc acidized tages usir	is 4721 ft. OF WORK eights, and lengths of important proposed depth 564 06' to 541 to 5506', ot. Ran 2 perforating 1000 ga	1', 5414' 5530' to " tubing ons with	to 5433 55471 a to 53861 9500 gal	, 54 nd 55 with lons
ne elevation of the atenames of and expected otal depth 50 erforated 4-2 5476, 5450 5576, with acker set at agular 15% acker	derrick floor ald depths to objective ingressed for the following of the f	DETAILS ands; show sizes, we cointa, and all other in the cointage in the coint	is 4721 ft. OF WORK eights, and lengths of important proposed depth 564 06' to 541 to 5506', ot. Ran 2 perforating 1000 ga	1', 5414' 5530' to " tubing ons with	to 5433 55471 a to 53861 9500 gal	, 54 nd 55 with lons
e elevation of the atenames of and expected otal depth 50 s476 , 5480 5576 with acker set at acker set at agular 15% and acker set at agular 1	derrick floor ald depths to objective ingress of the same of work must recommend to the same of t	DETAILS ands; show sizes, we cointa, and all other in the cointage in the coint	is 4721 ft. OF WORK eights, and lengths of important proposed depth 564 06' to 541 to 5506', ot. Ran 2 perforating 1000 ga	1', 5414' 5530' to " tubing ons with	to 5433 55471 a to 53861 9500 gal	, 54 nd 55 with lons
e elevation of the atenames of and expected otal depth 50 s476 , 5480 5576 with acker set at acker set at agular 15% and acker set at agular 1	derrick floor ald depths to objective ingressed for the following of the f	DETAILS ands; show sizes, we cointa, and all other in the cointage in the coint	is 4721 ft. OF WORK eights, and lengths of important proposed depth 564 06' to 541 to 5506', ot. Ran 2 perforating 1000 ga	1', 5414' 5530' to " tubing ons with	to 5433 55471 a to 53861 9500 gal	, 54 nd 55 with lons

4	h
•	

Form 9 (April	195	81 2)	Ì



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Indian Agency							
Wi	adow Rock						
	Navajo						
t M-	14-90-403-2057						

REVISED COPY

SUNDRY NOTICES AND REPORTS ON WELLS

				the second secon	
NOTICE OF INTEN	TION TO DRILL		, 6	REPORT OF WATER SHUT-OFF	
NOTICE OF INTEN	TION TO CHANGE PLAI	NS	SUBSEQUENT	REPORT OF SHOOTING OR ACIDIZING.	
NOTICE OF INTEN	TION TO TEST WATER	SHUT-OFF	H	REPORT OF ALTERING CASING	1 1
NOTICE OF INTEN	TION TO REDRILL OR	REPAIR WELL	SUBSEQUENT	REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTEN	TION TO SHOOT OR AC	CIDIZE	SUBSEQUENT	REPORT OF ABANDONMENT	X
NOTICE OF INTEN	TION TO PULL OR ALT	ER CASING		ARY WELL HISTORY	
NOTICE OF INTEN	TION TO ABANDON WE	ш	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	entary Report of Land	
		•	Complet		<u> </u>
	(INDICATE	ABOVE BY CHECK N	MARK NATURE OF REPORT	, NOTICE, OR OTHER DATA)	
er	efaca		,	July 19	, 19 <u>62</u>
Maria	Crack Hatt	ted 660 ft	from N line an	d 660 ft. from $\begin{bmatrix} \bullet \\ W \end{bmatrix}$ line of	of sec4
MV MV Sect	ion 4	418	(Range)	SLIGHT	10 m
(% Sec. and	i Sec. No.)				. •
Greater An	<u>eth</u>			Vteh	
(Fie	eld)	(00	ounty or Subdivision)	(State or Territor	y)
7-2-62:	Perforated	5354'-5366 'C' Ret.	' with 4 jets	per foot. tbg. Set Bridge Plu	
	Tubing @ 53			•	1.
	Packer set	@ 5267'. th 200 gal	s. Spearhead, age injection	1,500 gals. regular. rate 2.9 BPM.	Maximan
7-4-62:	Acidized wi pressure 30 Flowed 316	@ 5267°. th 200 gal 00\$. Aver bbl. oil i	age injection	rate 2.9 BPM. : 0.1%, Gravity 41°, B	\$
7-4-62:	Acidized wi pressure 30 Flowed 316 BPD 348.68,	<pre>8 5267*. th 200 gal 000f. Aver bbl. oil i 20/64" Ch</pre>	mge injection m 22 hrs. Gut oke, 420#/Pkr.	rate 2.9 BPM. : 0.1%, Gravity 41°, B	PH 14.32,
7-4-62:	Acidized wipressure 30 Flowed 316 BPD 348.68,	<pre>8 5267*. th 200 gal 000f. Aver bbl. oil i 20/64" Ch</pre>	m 22 hrs. Gut oke, 420#/Pkr.	rate 2.9 BPM. : 0.1%, Gravity 41°, B	PH 14.32,
7-4-62: I understand the	Acidized wipressure 30 Flowed 316 BPD 348.68, at this plan of work n	th 200 gal 00f. Aver bbl. oil i 20/64" Ch	m 22 hrs. Gut oke, 420#/Pkr.	rate 2.9 BPM. : 0.1%, Gravity 41°, B	PH 14.32,
7-4-621 I understand the	Acidized wipressure 30 Flowed 316 BPD 348.68,	th 200 gal 00f. Aver bbl. oil i 20/64" Ch	m 22 hrs. Gut oke, 420#/Pkr.	rate 2.9 BPM. : 0.1%, Gravity 41°, B	PH 14.32,
7-4-621 I understand the	Acidized wipressure 30 Flowed 316 BPD 348.68, at this plan of work n	th 200 gal 00f. Aver bbl. oil i 20/64" Ch	m 22 hrs. Gut oke, 420#/Pkr.	rate 2.9 BPM. : 0.1%, Gravity 41°, B	PH 14.32,

DDK/njh

16-8437b-S

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Vin	سوا	2o	g k		
Allottee _	lave	190) <u> </u>		

	INTENTION TO DRILL		SUBSEQUENT REPOR	T OF WATER SHUT	-off	
OTICE OF	INTENTION TO CHANGE PLANS		SUBSEQUENT REPOR	T OF SHOOTING O	R ACIDIZING	
OTICE OF	INTENTION TO TEST WATER SHUT-OF	F	SUBSEQUENT REPOR	T OF ALTERING CA	sing	
OTICE OF	INTENTION TO REDRILL OR REPAIR V	WELL	SUBSEQUENT REPOR	T OF REDRILLING	OR REPAIR	
OTICE OF	INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPOF	RT OF ABANDONME	NT	
OTICE OF	INTENTION TO PULL OR ALTER CASIN	NG	SUPPLEMENTARY W	_ # #	- Anna Laide	- -
OTICE OF	INTENTION TO ABANDON WELL		Supp. Repor	<u> </u>		
	(INDICATE ABOVE BY	CHECK MARK N	ATURE OF REPORT, NOTI	CE, OR OTHER DATA	\)	
	Keiner					
	DELATINE			ly 9		, 19 .63
Zim :	Creek Whit				1	
ll No.	is located	ft. fron	n N line and 🛂	ft. from	$\left\{ \begin{array}{c} \mathbf{w} \\ \mathbf{w} \end{array} \right\}$ line of sec	. 4
	15/ Sec. 4 41		(무기 화리바	47. Take	(**)	
<u>G4.8</u>			(Range)	(Meridian)		
Great	er Aneth	Sen	Juan		Back	
	(Field)	(County or	Subdivision)	(81	ate or Territory)	
			1 4495 c.	K. B.		
e eleva	tion of the territor ab	ove sea leve	el 18			
			4		•	
ite namet	of and annual develops a skingling	DETAIL	S OF WORK	f proposed casings:	indicate mudding j	jobs, cemer
ite names	of and annual develops a skingling	DETAIL	s of work	f proposed casings; work)	indicate mudding j	jobs, cemer
	of and expected depths to objective s ing po	DETAIL sands; show sizes oints, and all oth	S OF WORK s, weights, and lengths o her important proposed	WOFE	indicate mudding j	jobs, cemei
	of and annual develops a skingling	DETAIL sands; show sizes oints, and all oth	S OF WORK s, weights, and lengths o her important proposed	WOFE	indicate mudding j	jobs, cemer
l-62	of and expected depths to objective s ing po	DETAIL sands; show sizes of the all of the sand all of the san	S OF WORK , weights, and lengths of the important proposed jets per feet	WOFE	indicate mudding j	jobs, cemei
k-62	of and expected depths to objective s ing po	DETAIL sands; show sizes of the all of the sand all of the san	S OF WORK , weights, and lengths of the important proposed jets per feet	WOFE	indicate mudding j	jobs, cemer
)-62	of and expected depths to objectives ing po Perferated 5354*-5366 Reran tubing to 5393*	DETAIL sands; show sizes oints, and all other with 4	S OF WORK s, weights, and lengths of the important proposed jets per feet	work,		
1-62 1-62	of and expected depths to objective s ing po	DETAIL and a; show sizes oints, and all other with 4 packer	S OF WORK s, weights, and lengths of the important proposed jets per feet set 6 5267* 1,500 gain 2	work,		
1-62 1-62	of and expected depths to objectives ing policy for forested \$354***5366 Reren tubing to 5393* Acidical v/200 gais 8	DETAIL and a; show sizes oints, and all other with 4 packer	S OF WORK s, weights, and lengths of the important proposed jets per feet set 6 5267* 1,500 gain 2	work,		
1-62 1-62	of and expected depths to objectives ing policy for the state of \$354'-5366 Reven tubing to \$393' heldiend w/200 gale 8 Average injection ret	DETAIL sands; show sizes oints, and all other with 4 . packer personal, a 2.9 Em	S OF WORK a, weights, and lengths of the important proposed jets per feet set G 5267* 1,500 gain r	egular. H	in the same proof	dure 3
1-62 1-62	of and expected depths to objectives ing policy for the first of \$354'+5366 Reven tubing to \$393' heldied v/200 gale 8 Average injection tet	DETAIL sands; show sizes oints, and all other with 4 . packer personal, a 2.9 Em	S OF WORK a, weights, and lengths of the important proposed jets per feet set G 5267* 1,500 gain r	egular. H	in the second second	dure 3
-62 -62 -62	of and expected depths to objectives ing policy for the state of \$354'-5366 Reven tubing to \$393' heldiend w/200 gale 8 Average injection ret	DETAIL sands; show sizes oints, and all other with 4 . packer personal, a 2.9 Em	S OF WORK a, weights, and lengths of the important proposed jets per feet set G 5267* 1,500 gain r	egular. H	in the second second	dure 3
-62 -62	of and expected depths to objectives ing policy for the state of \$354'-5366 Reven tubing to \$393' heldiend w/200 gale 8 Average injection ret	DETAIL sands; show sizes oints, and all other with 4 . packer personal, a 2.9 Em	S OF WORK a, weights, and lengths of the important proposed jets per feet set G 5267* 1,500 gain r	egular. H	in the second second	dure 3
-62	of and expected depths to objectives ing policy for for factor 5354*-5366 Reran tubing to 5393* Acidical w/200 gale 8 Average injection ret Flowed 316 hb1 cil in 20/64" Cheke, 4206/Ph	DETAIL sands; show sizes oints, and all other oints	S OF WORK s, weights, and lengths of the important proposed jets per feet set @ \$267'. 1,500 gain r	ogular. H Gravity 41	* , 32%-14,3	sure 3
-62 -62	of and expected depths to objectives ing policy for the state of \$354'-5366 Reven tubing to \$393' heldiend w/200 gale 8 Average injection ret	DETAIL sands; show sizes oints, and all other oints	S OF WORK s, weights, and lengths of the important proposed jets per feet set @ \$267'. 1,500 gain r	ogular. H Gravity 41	* , 32%-14,3	sure 3
1-62	of and expected depths to objectives ing policy for forested \$354'-5366 Reran tubing to 5393' Leidicad w/200 gale 8 Leverage injection ret Flowed 316 hbl oil in 20/64" Cheke, 4206/Fk	DETAIL sands; show sizes oints, and all oth with 4 . packer peurhead, 2. 9 Em 22 hours it.	S OF WORK s, weights, and lengths of the important proposed jets per feet set @ \$267'. 1,500 gain r	ogular. H Gravity 41	* , 32%-14,3	sure 3
-62 -62	of and expected depths to objectives ing policy for for a few states of \$354'-5366 Revenue tubing to \$393' Acidical w/200 gale 8 Average injection ret Plowed 316 hbl oil in 20/64" Cheke, 4206/Ph	DETAIL sands; show sizes oints, and all oth with 4 . packer peurhead, 2. 9 Em 22 hours it.	S OF WORK s, weights, and lengths of the important proposed jets per feet set @ \$267'. 1,500 gain r	ogular. H Gravity 41	* , 32%-14,3	sure 3
-62 -62	of and expected depths to objectives ing policy of the second state of the second state of the second state of the second	DETAIL sands; show sizes oints, and all oth with 4 . packer peurhead, 2. 9 Em 22 hours it.	S OF WORK s, weights, and lengths of the important proposed jets per feet set @ \$267'. 1,500 gain r	Oravity 41	, BPK-14, 3	sure 3
-62	of and expected depths to objectives ing policy of the second state of the second state of the second state of the second	DETAIL sands; show sizes oints, and all oth with 4 . packer peurhead, 2. 9 Em 22 hours it.	S OF WORK s, weights, and lengths of the important proposed jets per feet set @ \$267'. 1,500 gain r	ogular. H Gravity 41	erations may be connect By	sure 3

For:a 9-331 (May 1968) Form approved. Budget Bureau No. 42-R1424. SUBMIT IN TRIP DEPARTMENT OF THE INTERIOR verse side) 5. LEASE DESIGNATION AND SERIAL NO. **GEOLOGICAL SURVEY** 14-20-603-2057 6. IF INDIAN, ALLOTTEE OR TRIBE NAME SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.) Navajo 7. UNIT AGREEMENT NAME GAS WELL WELL X OTHER McElmo Creek Unit NAME OF OPERATOR 8. FARM OR LEASE NAME The Superior Oil Company McElmo Creek 3. ADDRESS OF OPERATOR 9. WELL NO. O. Drawer 'G', Cortez, Colorado MCU #R-13 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 10. FIELD AND POOL, OR WILDCAT 11. SEC., T., B., M., OR BLK. AND SURVEY OR AREA 660' FNL & 660' FWL of Sec. 4, T41S, R25E NW NW Sec. 4, T41S, R25E 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 12. COUNTY OR PARISH | 13. STATE 4636' KB 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SURSEQUENT REPORT OF: TEST WATER SHUT-OFF PULL OR ALTER CASING REPAIRING WELL WATER SHUT-OFF MULTIPLE COMPLETE FRACTURE TREAT FRACTURE TREATMENT ALTERING CASING SHOOT OR ACIDIZE ABANDON* ABANDONMENT* SHOOTING OR ACIDIZING REPAIR WELL CHANGE PLANS (Other) . (NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* Notice of intent to recomplete MCU #R-13 as a Desert Creek producer. A bridge plug will be set between the Ismay and Zone I and the Ismay perfs 5354-66' will be squeezed with 200 sacks cement. After drilling out and retrieving the bridge plug the Zone I interval 5406-5506' will be stimulated with 12,000 gal 28% acid in three equal stages using temporary diverting material to initiate the second and third stages. The well will then be placed on Zone I only production with Zone II isolated by bridge plug. If approved this work should commence in October 1971. APPROVED BY DIVISION OF OIL & GAS CONSERVATION

JPN/njh

MCU well #V-17 was spudded at 7:00 p.m. 9/14/66 and was drilling at 5498' on September 30.

A 912 unit was placed on MCU well #R-13 which increased gross fluid production from 492 BPD to 694 BPD. Oil production was increased 60 BOPD.

Pressure surveys were run on the following wells during September:

Production Wells - I-12, P-11, M-20, Q-22, Q-16, R-13

Injection Wells - A-17, B-13, H-11, J-11, J-19, L-09, L-17, N-15, P-13, R-11, R-21, S-10, T-13, T-15

Well maintenance during September consisted of the following:

21 Rod Parts: B-18, C-14, C-19, I-12, K-20, L-19, N-09, O-18, P-17 (4), Q-16, R-13, R-15 (2), S-12 (3), S-18 (2)

14 Pump Changes: G-12, H-20, I-12, I-14, I-21, J-17, J-25, K-20, M-20, P-11, Q-22, R-09, R-13, V-11

A broken piston was replaced in the Ingersoll-Rand engine driving the Aldrich pump.

Very truly yours,

W. Hensen

W. H. Fraser

DDK/njh Attach.

File

Form 9-331 (May 1963)	-	UNDED STATES	(Other instanctions	Form approved. Budget Burean No. 42-R1424
		MENT OF THE INTER	NOR verse side)	5. LEASE DESIGNATION AND SERIAL NO.
/		GEOLOGICAL SURVEY	ONL WELLC	14-20-603-2057 6. IF INDIAN, ALLOTTEE OR TRIBE NAME
		Sals to drill or to deepen or plug ATION FOR PERMIT—" for such		Navajo
OIL XX G	AS OTHER	-		7. UNIT AGREEMENT NAME
2. NAME OF OPERA		3-/		8. FARM OR LEASE NAME
The Supe	erior Oil Com	pany Syar	<u>ه</u>	
3. ADDRESS OF OP		- Calauada (1201		9. WELL NO.
4. LOCATION OF W	ELL (Report location	z, Colorado 81321 clearly and in accordance with an	y State requirements.*	MCU #R-13 10. FIELD AND POOL, OR WILDCAT
At surface	1 (below.)			Greater Aneth
CCO L ENU	0.6501 =:			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
ppn, fur	. & 660' FWL,	Sec. 4, T41S, R25E	SLM	NW NW Sec. 4, T41S, R25
14. PERMIT NO.		15. ELEVATIONS (Show whether D	F, RT, GR, etc.)	12. COUNTY OR PARISH 18. STATE
			4636' KB	San Juan Utah
16.	Check A	ppropriate Box To Indicate I	Nature of Notice, Report, o	r Other Data
	NOTICE OF INTER	NTION TO:	SUBS	SEQUENT REPORT OF:
TEST WATER S		PULL OR ALTER CASING MULTIPLE COMPLETE	WATER SHUT-OFF FRACTURE TREATMENT	REPAIRING WELL ALTERING CASING
SHOOT OR ACI	DIZE	ABANDON*	SHOOTING OR ACIDIZING	X ABANDONMENT*
REPAIR WELL		CHANGE PLANS	(Other) Squeeze	Ismay Zone X
(Other) 17. DESCRIBE PROPORED Proposed wo nent to this series.	OSED OR COMPLETED OPPORT. If well is direction	EBATIONS (Clearly state all pertine onally drilled, give subsurface locally drilled, give subsurface locally drilled).	Completion or Reco	impletion Report and Log form.) tes, including estimated date of starting any rtical depths for all markers and zones perti-
SUBSEQUE	NT REPORT OF	WORKOVER. SQUEEZED	ISMAY ZONE, STIMULA	ATED DESERT CREEK.
9/25/71	Squeezed wit	olug between Ismay ar th 175 sacks Class '(Maximum pressure 4	C' Cement. Displace	00'). ed 107 sacks through
9/29/71	Drilled out acid in 3 eq Mothball plu ISIP - 0 psi	jual stages, precedir 1gs. Each stage flus	ng 2nd and 3rd stage	06' with 12,000 gal 28% es with 500 gal Unibead- Max pressure 3300 psi.
Producti Producti	on prior to w on 10/2/71 -	orkover: 48 BO, 184 342 BO, 24 BWPD, 7%	BWPD, 79% cut. cut.	
		•		
		1	** =	
18. I hereby certif	y that the foregoing i	s true and correct		
SIGNED	U. D. Kingman	ngman_ TITLE	District Enginee	r DATE 10/15/71
(This space for	r Federal or State off	će use)		
APPROVED BY	YOF APPROVAL, IF A	TITLE		DATE

OGC/njh

STATE OF UTAH DIVISION OF OIL, GAS, AND MINING **ROOM 4241 STATE OFFICE BUILDING** SALT LAKE CITY, UTAH 84114 (801) 533-5771

FORM NO. DOGM-UIC-1 (Revised 1982)

(RULE 1-5 & RULE 1-4)

SUPERIOR OIL COMPANY DDRESS P.O. Drawer 'G'	TION OF	CAUSE	NO			
Cortez, Colorado NDIVIDUAL PARTNERSHIP OR ADMINISTRATIVE APPROVAI NJECT FLUID INTO THE MCU #1 EC. 4 TWP. 41S San Juan						
oun oudin		PLICATION				
Comes now the applican 1. That Rule I-5 (g) (iv) Gas storage operations 2. That the applicant s	authorizes adminis:	trative approval or	on the follov enhanced rcc	ving: overy injections, disposal or LP		
ease Name McELMO CREEK	Well No.	Field GREATER	ANETH	County SAN JUAN		
ocation of Enhanced Recovery 660	FNL, 660' FWL	1 т.	vp. 41S	Rge. 25E		
Injection or Disposal Well New Well To Be Drilled Yes No XX	Old Well To Be Conve	erted	Casina Test	Ki No □ Date 4/25/83		
Depth-Base Lowest Known Fresh Water Within ½ Mile 1357	Does Injection Zone C Oil-Gas-Fresh Water	Contain Within ½ Mile YES		State What Gas & Oil		
ocation of Production well njection Source(s) McElmo Cree		Geologic Name(s) and Depth of Source	Ismay (•) Deser	(5300') t Creek (5400')		
Geologic Name of Desert C	reek	Depth of Injection Interval 5405	55781			
injection Zono	b. Base of Fresh	h Water: 1357 c. li	tervening Thick	(ness (a minus b) 4048 i		
is the intervening thickness sufficient to without additional data?		e protected YES XVCX				
Lithology of Intervening Zones Se	ee item 4 (ii)	on Attachment	#1			
Injection Rates and Pressures	A4 I	2000 2800		B/D PSI		
The Names and Addresses of Those to V	Whom Notice of Applicati	ion Should be Sent.				
State of Colorado)	T. Bru	ghe	rrion		
Montezuma	1	-	T	plicant Greg Merrion		
Before me, the undersigned cooks to me to be the person woodh states; that he is duly authored in and that said report is the said report in the said report is the said report in the s	horized to make the	ay personally appe ibed to the above it above report and	strument w	he being by me duly sworn on		
Suscribed and sworn to b	15	oth day of Aug	lust_, 19_	83		
SEAL E			utu	Shape of Colored		
My commission expires	5-2-86	Notary	Public in and	for State of Colorado		

County of Montezuma

INSTRUCTIONS

- 1. Attach qualitative and quantitative analysis of representative sample of water to be injected and a qualitative and quantitive analysis of the injection formation of water.
- 2. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within one-half mile, together and with the name of the operator(s).
- 3. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division or appropriate government agencies.)
 - 4. Attach Electric or Radioactivity Log of Subject well (if released).
- 5. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
- 6. If the application is for a NEW well the original and six (6) copies of the application and three (3) complete sets of attachments shall be mailed to the Division. For EXISTING well applications (Rule I-4) only ONE copy of the application and ONE complete set of attachments are required to be mailed to the Division.
- 7. The Division is required to send notice of application to he surface owner of the land within one-half mile of the injection well and to each operator of a producing leasehole within one-half mile of the injection well. List all required names and addresses in the appropriate space provided on the front of this form.
- 8. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county of publication before the application is approved. The notice shall include the name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application may be approved administratively.
- 9. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed by January 31st each year.
- 10. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
 - 11. If there is less intervening thickness required by Rule 1-5 (b) 4, attach sworn evidence and data.
- 12. For enhanced recovery projects, information required by Rule I-4 which is common to more than one well, need be reported only once on the application.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	*SEE WELL	SKETCH ATTAC	IED		
Intermediat e					
Production		-			
Tubing		-	- Name	e - Type - Depth of	Tubing Packer



PACKERS SET

PLEASE TYPE OR USE BLACK INK ONLY

(Rule I-5 (b (Revised 19) 2 982) (`	ys after drillin		-		COUNTY EASE NO.	СОМРИ	ETION & TEST DATA BY I	PRODUCING FORMATION 2	3
API NO			IVISION OF OIL	AL RESOURC , GAS, AND MI	NING	INERGI	•		FORMATION	D. C. Zone I	D.C.Zone II	
 	640 Acres N		Salt Lake C	ite Office Buildi ity, Utah 84114 _Juan _{sec.} _4	_	twp. 415	PGE	_25E	SPACING & SPACING ORDER NO.			
			OMPANY OPE	RATING SU S P.O.DY	perior awer	<u>0il Co.</u> 'G'	· · · · · · · · · · · · · · · · · · ·		CLASSIFICATION (DISPOSAL WELL, ENHANCED RECOVERY, LP GAS STORAGE)	OIL	OIL	
w				tez. Co.		TE ZIP $\frac{81}{4}$	321		PERFORATED	5405'-11'	5530'-47'	· · · · · · · · · · · · · · · · · · ·
			RILLING STAR	ED 4/4 1	9 <u>58</u> pr	ILLING FINISHE	<u>4/25</u>	1 9 58 27/58	INTERVALS	5414'-33' 5456'-76'	5563'-78'	
	8		VELL LOCATED	<u>NW 🙀 NW</u>	<u> </u>	_¼ 660_ ft. fr				5456!-76! 5480!-87! 5494!-5506!		
	S cate Well Correctly and Outline Lease		LEVATION DEI	RICK FLOOR _	4635	GROUNI	4625	5.5	ACIDIZED?	Both zones a	idized with 9	500 gal
TYPE CO	MPLETION			-						15% HCL		
Single Zi Multiple	Zone								FRACTURE TREATED?			
Comingle LOCATION I									INITIAL TEST DATA	Both zones to	ested together	
			OIL OR	GAS ZONES					Date	4/27/58		
=	Name	Frem	To		Name		om .	To	Oil, bbl./day	1918		
	reame	1700	10		reame .	"	olei	10	Oil Gravity	38 deg API		
D. C.	Zone I	5405	5506'						Gas, Cu. Ft./day	959000 (es t)	CF CF	
	Zone II	5530'	55781		·····				Gas-Oil Ratio Cu. Ft./Bbl. Water-Bbl./day	500(est)		
							- -		Pumping or Flowing	0 Flouring		
			CASING	& CEMENT					CHOKE SIZE	Flowing		· · · · · · · · · · · · · · · · · · ·
	Cas	ing Set		Csg. Test	ļ	Cemen	ıt		FLOW TUBING PRESSURE	N/A N/A		
Size	Wgt.	Grade	Feet	Psi	Sax	Fillup	Yop				<u> </u>	
13-3/8"	48	8R Smis	117		200		Surfac	<u></u>	A record of the formation	is drilled through, and po use reven	ertinent remarks are pres se side)	ented on the reverse.
8-5/8"	24	8R Smls	1503'		1250	1	Surfac		I, the undersigned, being first	duly sworn unon onthest	gta that this wall record is	true, correct and com
4-1/2"	9.5	8R Smls	5662'		250		46361		according to the records of thi	s office and to the best o	f my knowledge and beli	MOUNTIN

тотаl DEPTH __5662

NOTE: THIS FORM MUST ALSO BE ATTACHED WHEN FILING PLUGGING FORM DOGM-UIC-6

		(use reverse sid	l e)	
l, the	undersigned, being first duly siding to the records of this office	worn upon eath, state the	nat this well record is t	rue, correct and compl
13. () 13. (1)	303) 1-12, 565-3733 /.	breallie	6)()	ÖDUCTION VGINEER
المناه والارا	1100	Name and title	of representative of	tempony
Subs	cribed and secon before me thi	15+ሽ	August	19
Sta	te of Colorado			1

Œ

County of Montezuma Settle D. Digme.
My Commission expires 5-2-86.

ATTACHMENT I

RULE I-5: Application for Approval of Class II Injection Wells

- (a) Attached is Form DOGM-UIC-1.
- (b) (1) See attached Land Plat.
 - (2) Attached is Form DOGM-UIC-2.
 - (3) See attached wellbore sketch.

(3) (4)

- i. The intervening thickness is over 4000' between the proposed injection interval and the deepest fresh water sand. Furthermore, all fresh water sands are behind 8-5/8" surface casing. The 8-5/8" - 4-1/2" annulus pressure will be monitored to insure no behind pipe communication occurs.
- ii. Maximum Estimated Surface Pressure: 2800 psig. Maximum Estimated Rate: 2000 BWPD.

FORMATION	DEPTH	LITHOLOGY
Chinle 8-5/8" Surface Casing	1357' 1503'	Shale
DeChelly	2550'	Sandstone
Organ Rock	2650'	Shale
Hermosa	4464'	Limestone
Upper Ismay	5266'	Limestone
Lower Ismay	5332'	Limestone
Gothic	5390'	Shale
Desert Creek	5400'	Limestone
Chimney Rock	5612'	Shale

(5)

- (i) A throttling valve will be installed on the wellhead to control injection rates and pressures.
- (ii) The source of injection water will be Superior's production wells within the McElmo Creek Unit.

 The wells produce from the Ismay and Desert Creek formations with approximate depths of 5300' and 5400' respectively.
- (iii) The analysis of injection water is as follows: (as parts per million).

PH: 6.5 Ca: 13770 S04: 25 CL: 16700 ppm Mg: 11421 H2S: 30 Fe: 3 HC03: 109.8 Ba: -CaC03: 18470 C03: - Specific

Gravity: 1.0553


- (5) Cont.
 - (iv) The proposed injection zones are the Ismay and Desert Creek formations. Both zones are carbonate formations consisting of limestone, anhydrite and dolomite. The formations extend throughout the Paradox Basin and are underlain by the Chimney Rock Shale and are overlain by the Hermosa Limestone.
 - (v) All fresh water zones are behind surface casing.
 - (vi) The analysis of formation water (Desert Creek) is as follows: (as parts per million).

PH: 6.45 Ca: 12900 S04: 22.68 CL: 63,000 ppm Mg: 1555.2 H2S: 10.0 Fe: 5.7 HC03: 85.4 Ba: - CaC03: 19300 C03: - Specific


Gravity: 1.0550


- (6) If the proposed injection well must be shut-in, the fresh water wells can also be shut in.
- (7) N/A.
- (8) The Division will be notified of the date and time to monitor the mechanical integrity test.
- (9) There are no defective wells in this area.
- (10) N/A.

McELMO CREEK UNIT #R-13 GREATER ANETH FIELD SAN JUAN COUNTY, UAH



McELMO CREEK UNIT #R-13 GREATER ANETH FIELD SAN JUAN COUNTY, UAH





CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW * * * * *

Operator: Suparior We.	11 No. <u>R-13</u>
County: SAN JURN T415 RZSE	Sec. 4 API# 43-037-16148
New Well Conversion 🚄 Disposal Well	1 Enhanced Recovery Well
	YES NO
UIC Forms Completed	
Plat including Surface Owners, Leas and wells of available record	seholders,
Schematic Diagram	
Fracture Information	
Pressure and Rate Control	
Adequate Geologic Information	
Fluid Source	frod. Enter
Analysis of Injection Fluid	Yes No TD\$/6700 C
Analysis of Water in Formation to be injected into	Yes No TDS 63000
Known USDW in area	Chiula Depth 1357'
Number of wells in area of review	/3 Prod. 7 P&A
	Water Inj. <u>6</u>
Aquifer Exemption	Yes NA
Mechanical Integrity Test	Yes No <u></u> ?
	DateType
Comments: Approfesfel taling so sate	equent red of to comy
, 0,	

Reviewed by:

Form 9-331 Dec. 1973

UNITED STATES

_	
	Form Approved.
	Budget Bureau No. 42-R1424

UNITED STATES	5. LEASE
DEPARTMENT OF THE INTERIOR	14-20-603-2057
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME NAVAJO
SUNDRY NOTICES AND REPORTS ON WELLS	7. UNIT AGREEMENT NAME
SUNDRY NUTICES AND REPORTS ON WELLS	McELMO CREEK UNIT
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	8. FARM OR LEASE NAME
1. oil gas	
well KX well other	9. WELL NO.
2. NAME OF OPERATOR	#R-13
SUPERIOR OIL COMPANY	10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR	GREATER ANETH
P.O.DRAWER 'G', CORTEZ, CO. 81321	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17	SECTION 4, T41S, R25E
below.) AT SURFACE: 660' FNL, 660' FWL Sec. 4	12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: Same	SAN JUAN UTAH
AT TOTAL DEPTH: Same	14. API NO.
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	* · · · · · · · · · · · · · · · · · · ·
REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD)
	DF: 4635' GL: 4125.5'
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF	and the second of the second
SHOOT OR ACIDIZE XX	
REPAIR WELL	(NOTE: Report results of multiple completion or zone
PULL OR ALTER CASING	change on Form 9–330.)
MULTIPLE COMPLETE	sipid bij 🖆
ABANDON*	
(other) Convert to injection	Oline Car
OF STATIONS (OLD IN A STATION OF STATIONS (OLD IN A STATION OF STA	DIVISION OF
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly statincluding estimated date of starting any proposed work. If well is continuous contin	lirectionally drilled, give subsurface locations and
measured and true vertical depths for all markers and zones pertine	nt to this work.)*
1. MIRU.	
POH w/ rods, pump, tubing string and tubing	g anchor.
3. Treat D. C. Zones I and II with 14,000 gal	28% HCL. Swab back load fluids.
4. RIH w/ plastic coated packer and 2-3/8" pla	istic coated tubing.
5. RDMO.	
	and the second s
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	
SIGNED T: Gred Merrion TITLE Production En	ginee _{BATE} 8-15-83
(This space for Federal or State of	ffice use)
APPROVED BY	DATE
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:	DATE

Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Dr. G. A. (Jim) Shirazi, Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

October 12, 1983

Superior Oil Company P.O. Drawer "G" Cortez, CO 81321

Re: Class II Injection Well

Approva1

Cause No. UIC-027

Gentlemen:

Please be advised that administrative approval has been granted to inject water into the wells mentioned below. This approval is conditional upon adhering to the UIC rules and regulations adopted by the Board of Oil, Gas and Mining and by not exceeding the maximum authorized pressures and rates.

Township 40 South, Range 24 East

Sec. 36, Well # F-11 NW SW

Township 40 South, Range 25 East

Sec. 31, Well # M-12 SE SE

Sec. 32, Well # N-11 NW SW

Sec. 33, Well # P-11 NW SE

Sec. 33, Well # P-17 NW NE

Township 41 South, Range 24 East

Sec. 12, Well # I-20 SE SE

Township 41 South, Range 25 East

Sec. 4. Well # R-13 NW NW

Sec. 8, Well # 0-18 SE NW

If you have any questions concerning this matter, please do not hesitate to call or write.

Sincerely,

Director

5. LEASE

Subsurface Safety Valve: Manu. and Type

SIGNED Roberto Dentici

CONDITIONS OF APPROVAL IF ANY:

APPROVED BY

18. I hereby certify that the foregoing is true and correct

DEPARTMENT OF THE INTERIOR	14-20-603-2057
GEOLOGICAL SURVEY	6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)	7. UNIT AGREEMENT NAME MCELMO CREEK UNIT 8. FARM OR LEASE NAME
1. oil gas other Water Injection	9. WELL NO.
2. NAME OF OPERATOR Superior Oil Company	#R-13
3. ADDRESS OF OPERATOR P. O. Drawer 'G', Cortez, Colorado 81321	10. FIELD OR WILDCAT NAME GREATER ANETH
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 660' FNL, 660' FWL, Sec. 4	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA SECTION 4, T415, R25E 12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL: Same AT TOTAL DEPTH: Same	SAN JUAN UTAH
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA	15. ELEVATIONS (SHOW DF, KDB, AND WD) DF: 4635' GL: 4125.5'
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF	(NOTE: Report results of multiple completion or zone change on Form 9–330.)
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly stating including estimated date of starting any proposed work. If well is different and true vertical depths for all markers and zones pertinent	irectionally drilled give subsurface leastings and
11-8-83: MIRU workover rig. POH & laid down 1" rods l1-9-83: POH w/ rods & pump. Laid down. POH w/ tbg in hole w/ retrieving head, hydrostatic bail-10-83: Finish RIH. Cleaned fill. Tagged BP, but retrieving head & tbg. Tagged BP. Pumped out of hole. 11-11-83: Finish POH. RIH w/ scraper, hydrotesting t run Gr/CCL from 5620' to 5150'. Perforated Tagged BP at 5623'. RD wireline.	, SN, A/C & perforated sub. Started ler & tbg. could not latch onto it. RIH w/ down tbg & pushed BP to bottom. Started o 5500 psi. POH w/ scraper. RU wireline
Continued on reverse side.	
• •	·

_ TITLE _ Engineer

RIH w/ BP, retrieving head & pkr. Set BP at 5596', pkr at 5390'. Acidized Desert Creek I & II w/ 5000 gals 28% HCL in 4 stages w/ salt TDA plugs (5000 gals w/ 1 ppg salt). Well on vacuum. Reset BP at 5390'. Spot 1 bbl 28% HCL at 5384'. PU & set pkr at 5258'. Acidized Ismay w/ ball sealers. Well on vacuum. Reset BP at 5596' & pkr at 5258'. 11-12-83: RIH w/ BP,

Swabbing. 1-14-83:

.1-15-83:

Swabbing. Start POH w/ tbg, pkr, RH & RBP. Finish POH. RIH w/ TK-69 lined Baker A-3 Lokset pkr and 2-3/8" plastic coated tbg. Hung pkr at 5290'. Pumped 60 bbls inhibited water down annulus. Set pkr at 5296'. Filled annulus w/ inhibited water. ND BOP's & NU wellhead. RDMO workover rig. 1-16-83:

RM NO. DOGM-UIC-5 (1381)

STATE OF UTAH DIVISION OF OIL, GAS, AND MINING Room 4241 State Office Building Salt Lake City, Utah 8414 (801) 533-5771



(Circle appropriate heading)

eck Appropriate Classification:	Date of Commencement/ Advision
sposal Well	
nanced Recovery Injection Well 🖔	
nhanced Recovery Project	
'ell Name #R-13,	MCELMO CREEK UNIT
ocation: Section4Twp	41S Rng. 25E County SAN BOAN
rder No. authorizing Injection	U1U-U27 Date
one into Which Fluid Injected IS	MAY, DESERT CREEK I & II
	nation of injection, please indicate date well commenced injectionnition of injection, please indicate if well is to be plugged or returned to production; if indicate producing interval
SUPERIOR OIL	
P. O. DRAWER	"G", CORTEZ, COLORADO 81321
Address	
	Signature Roberto Dentici, Engineer
	Date Date true project injection termination, it must be accompanied by
	resident injection termination, it must be accompanied by

INSTRUCTION: If this is notification of an enhanced recovery project injection termination, it must be accompanied by an individual well status report for all project injection wells.

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL. GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

and the same of th

UESTERN REGULATORY WELL COMPLIANCE DATA FILE (PAGE 1 OF 2) FOR THE CORTEZ SUPERVISOR AREA FOR THE GREATER ANETH FIELD 05/13/86

PROPERTY Name	WELL				WELL	2 A		FEDERAL LEASE NUMBER	STATE NUMBER	TINU
NAHE 	NAME	COUNTY	STATE	SEC TWASHP RAG	TYPE	T	API NUMBER	LEASE NUMBER	NUMBER	TINU NUMBER
MC ELHO CREEK	N-11	MAUL MAZ	ur	NW SE 32-405-25E	LMI	JР	43-037-15965	14-20-603-372		96-004190
	N-13 V	KAUL KAZ	UT	NU NU 05-418-25E	INJ	GP	43-037-15966	14-20-603-372		96-004190
	N-15~	MAUL MAZ	üΤ	SW NW 05-415-25E	LNI	0P	43-037-05671	14-20-603-572		96-004190
	N-17~	MAUL MAS	UT	NU NU 08-415-25E	LMI	0P	43-037-05597	14-20-603-263		96-004190
	N-19 V	MAUL HAZ	ur	NW SW 08-415-25E	LKI	OP	43-037-05540	14-20-603-263		96-004190
	N-21 V	MAUL MAS	UT	NU NU 17-418-25E	INJ	GP	43-037-05492	14-20-693-263		96-604190
	N-23 🗸	MAUL MAZ	UT	NW SW 17-415-25E	INJ	OP	43-037-16364	14-29-603-263	-	96-004190
	0-12	SAN JUAN	UT	SE SW 32-40S-25E	LMI	OP	43-037-16371	14-20-603-372		96-004190
	8-14 🗸	SAN JUAN	UT	SE NW 05-418-25E	LWI	0P	43-037-16365	14-20-693-372		76-004199
	0-16	SAN JUAN	UT	SE SW 05-418-25E	ГИ́І	OP	43-037-15969	14-20-603-372		96-604190
	0-18	SAN JUAN	UT	SE NW 08-415-25E	LNI	OP	43-037 - 05585	14-20-603-263		76-004170
	P-07 🗸	HAUL HAZ	UT	NW SE 29-403-25E	LMI	OP	43-037-05828	I-149-IND-8839-A		96-604190
	P-09 🗸	SAN JUAN	UT	NW NE 32-408-258	IiiJ	32	43-037-16367	14-20-603-372		96-004170
		MAUL MAZ	UT	NW SE 32-405-25E	INJ	0P	43-037-15971	14-20-603-372		76-004199
	P-13 🗸	SAN JUAN	UT	NU HE 05-415-25E	LKI	ΟP	43-037-16368	14-20-603-372		76-004199
	•	SAN JUAN	UT	NW SE 05-41S-25E	INJ	GP	43-637-16340	14-20-603-372		96-004190
	P-17 🗸	MAUL MAZ	UT	NU NE 08-415-25E	LKI	OP	43-037-15976	14-20-603-263		96-004190
	P-19 🗸	SAN JUAN	UT	NW SE 08-413-25E	LMI	OF	43-037-05555	14-20-603-263		96-004190
	P-21 ✓	SAN JUAN	UT	NW NE 17-415-25E	LĸI	OP	4 3 -937-95487	14-20-603-263		96-004190
	. P-23√	SAN JUAN	UT	NW SE 17-41S-25E	LMI	GF	43-037-1,6370	14-20-603-263		96-004196
	Q-12 🗸	SAN JUAN	UT	SE SE 32-40S-25E	LHI	OF	43-037-05720	14-20-603-372		96-004199
	₽-14 ✓	MAUL MAZ	UT	SE NE 05-415-25E	INJ	OF	43-037-15974	14-20-603-372		96-004190
	=	NAUL NAZ	UT	SE SE 05-41S-25E	LHI	CF	43-037-15975	14-20-603-372		96-004190
	R-11"	SAN JUAN	UT	NW SW 33-408-25E	. INJ	. 31	43-037-05741	14-20-603-2057		96-004190
		MAUL MAR	IJŦ	NU SU 33-405-25E	INJ	ΩF	43-037-30179	14-20-603-2057		96-004199
	R-13✓	SAN JUAN	UT	HU NU 04-415-25E	INJ	OF	° 43-037-05789	14-20-603-20 57		96-004190
		SAN JUAN	UT	HS NU 07-415-25E	LMI	OF	· 43-037-05402	14-20-603-359		96-994193
		SAN JUAN	UT	NW SW 09-415-25E	LMI	Û	43-037-05554	14-20-603-359		96-004190
		SAN JUAN	UT	NW-NW 16-415-25E	LWI	Oř	43-937-16374	14-20-603-359		96-004190
•	R-23 N	MAUL MAZ	UТ	NU SU-16-415-25E	INJ	GF	° 43-037-15977	7 14-20-603-357		96-004198

UTAH DIVISION OF OIL, GAS AND MINING CASING-BRADENHEAD TEST

OPERATOR:	//\ \= \ \ /	<u>NA</u>	<u> </u>			
FIELD: 6-rest	er_	Aneth	·	LEASE:	Mc Elmo Cree	<u> </u>
WELL # R-13	3	(Nav.	P-4)		TOWNSHIP 4/S RANGE	
STATE (FED.) F	EE DEPI	TO 564	TYI	E WELL TA	JW MAX. INJ. PRESS	2800
TEST DATE	9/9/		5	Water Tra	cer Log 8/30/85	2000 EW
CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
SURFACE	133/8	117	20 <u>05</u> x		No assure ting bubble through water	
INTERMEDIATE	<u>85/8</u>	1503'	1250 si		Through water .	
PRODUCTION	41/2	5662	250s	×		
TUBING	21/8			1750#		
Pack	ed set	5355	5 '			
CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	FUTURE
SURFACE						
INTERMEDIATE	·	<u> </u>				
PRODUCTION						
	4. 					
TUBING						
* - x 8						
CASING STRING	SIZE	SET AT	CMT	PRESSURE READINGS	REMARKS	ं स्टारम कट
SURFACE		,			as required and that the second secon	FUTURE
INTERMEDIATE						
PRODUCTION						
		 				
TUBING						
				 <u>-</u> -		 ;

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

5. Lease Designation and Serial No. 14-20-603-2057

*	AND REPORTS ON WELLS	6. If Indian, Allottee or Tribe Name
Do not use this form for proposals to dril Use "APPLICATION FOR	or to deepen or reentry to a different reservoir. PERMIT—" for such proposals	NAVAJO TRIBAL
SUBMIT IN TRIPLICATE 1. Type of Well JAN 12 12 12 12 12 12 12 12 12 12 12 12 12		7. If Unit or CA, Agreement Designation MCELMO CREEK
Oil Gas Well Action Woller Woller Worker WJECTION W	ELL 27	8. Well Name and No. MCELMO CREEK UNIT #R-13
MOBIL OIL CORPORATION	DIL, CAS & MINING	9. API Weil No.
3. Address and Telephone No.	915-688-2585	43 037 16148
P.O. BOX 633 MIDLAND, TX 79702 915-688-2585 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)		10. Field and Pool, or Exploratory Area GREATER ANETH
660' FNL, 660'FWL NWNW SEC, 4M T41SM R25E		11. County or Parish, State
		SAN JUAN, UTAH
12. CHECK APPROPRIATE BOX(s	s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
_	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	□ Altering Casing □ Other CONVERSION TO CO2	Conversion to Injection Dispose Water
	Contract To Go	(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form:
10-16-90 ACDZ D.C. ZONE PERFS 5404- 10-17-90 RIH W/4 1/2 CIBP @ 5395' 10-18-90 RIH W/4 1/2 RET @ 5300'. S	3300-5395 TOP OF 4 1/2 CIBP. TEST ANN. TO 1000#/OK. PRESS. TEST SQZD + 3/10% OF 1% D60 (5 BBLS OF 15.6#/GAL. SBLS OF SLURRY INTO ISMAY PERFS 5354-5384 CIRC HOLE CLEAN. PRESS. TEST 4 1/2 CST TCIRC HOLE CLEAN. DRILL FROM 5395-5398.	PERFS 5354-5384 TO 2000#. SLURRY). FROM 5390-5045. SE & SQZD OFF @ 2500#. WOC TO 1000#/30 MIN./LOST PRESS RECOVERED METAL. LE CLEAN. 10-31-90 DRILL
14. I hereby certify that the foregoing is true and correct Signed Shuke Tour SHIRLEY TOE (This space for Federal or State office use)	DD Title PRORATION ANALYST	Date
Conditions of approval, if any:		

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

		44 00 000 0057
SUNDRY NOTICES AND REPORTS ON WELLS		14-20-603-2057
Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.		6. If Indian, Allottee or Tribe Name
	PERMIT—" for such proposals	NAVAJO TRIBAL
		7. If Unit or CA, Agreement Designation
SUBMIT IN TRIPLICATE		MCELMO CREEK UNIT
1. Type of Well		
Oil Gas Well Other INJECTION		8. Well Name and No.
2. Name of Operator MOBIL OIL CORPORATION		
3. Address and Telephone No.		9. API Well No. 43-037-16148
P O BOX 633 MIDLAND, TX 70702	(918) 688-2585	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 660 FNL, 660 FWL SEC 4, T415, R25E NW NW		GREATER ANETH
660 FNL, 660 FWL SEC 4, T41S, R25	SE'NW NW	11. County or Parish, State
		·
		SAN JUAN, UTAH
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other SI STATUS	Dispose Water (Note: Report results of multiple completion on Well
		Completion or Recompletion Report and Log form.
give subsurface locations and measured and true vertice	pertinent details, and give pertinent dates, including estimated date of startin al depths for all markers and zones pertinent to this work.)* ERENCED WELL. WELL IS UNECONOMICAL TO PE	g any proposed work. If well is directionally dri
Assembled by Cha	Chata	ATMINISTRA
Accepted by ിന്റ	State \\Diamondo(\Diamondo)\Beta(\Diamondo)\Be	212117/1011

of Utah Division of Oil, Gas and Mining

Date: __Federal Approval or this Action is Necessary By: _

7.09 (2 1393

DIVISION OF O'L GAS & MINING

14. I hereby certify that the foregoing is true and correct		And the second s
Signed Shuloudodd SHIRLEY TODD	Title ENV. & REG. TECHNICIAN	Date 7-28-93
(This space for Federal or State office use)		
Approved by	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

	DDDADEA AL MET LA	14-20-603-2057
SUNDRY NOTICES AND	6. If Indian, Allottee or Tribe Name	
Do not use this form for proposals to drill or Use "APPLICATION FOR	NAVAJO TRIBAL	
SUBMIT	7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT	
1. Type of Well Oil Gas X Other 2. Name of Operator MOBIL EXPLORATION & PRODUCING US, 3. Address and Telephone No. P. O. 633, MIDLAND, TX 79702 4. Location of Well (Footage, Sec., T., R., M., or Survey Dec., 660' FNL, 660' FWL; SEC 4, T41S, R25E	AS AGENT FOR MOBIL OIL CORPORATION (915) 688-2585 (915) 688-2585	8. Well Name and No. MCELMO CREEK UN R-13 9. API Well No. 43-037-16148 10. Field and Pool, or exploratory Area GREATER ANETH 11. County or Parish, State SAN JUAN UT
12. CHECK APPROPRIATE BOX(s)	TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	N
Notice of Intent X Subsequent Report Final Abandonment Notice 3. Describe Proposed or Completed Operations (Clearly state al	Abandonment Recompletion Plugging Back Casing Repair Altering Casing Other Description Other	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) Larting any proposed work. If well is directionally drilled,
*** SEE ATTACHED ***	A	PR 8 1994
14. I hereby certify that the foregoing is true and correct Signed Somell Juin sha Shirl	and Title ENV. & REG. TECHNICIAN	Date 04/04/94
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title	Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

McElmo Creek Unit R-13 Workover Procedure


- MI 100+ bbl flat bottom open top tank with gas zent line. MRU coiled tubing unit with 1-1/4" coiled tubing. MI Standby Safety Services (303/565-6391) having 5 Scott 30 minute airpacks, five minute escape packs for all coiled tubing/acid stimulation crew. personal H28 monitors for all personnel on location, and one safety man. Acid stimulation company to provide eve wash station. Hook up coiled tubing injection pump to fresh water transport. Lay flow line from wing valve to a choke manifold having two adjustable chokes. Lay flowline from choke manifold to flat bottom tank. Stake and chain flowline down. PT coiled tubing to 6000 psi using injection water.
- 2. RIH with 1-174" coiled tubing with perforation wash nozzle and CO to PBTD at 5514" using fresh water at maximum circulating rate at maximum circulating pressure of 5000 psi. Spot 5 bbls of xylene across perforations and bullhead into formation using fresh water. POH. If upable to CO fill using injection water, attempt to clean out fill using 10 bbl of 15 percent HCL acid containing 2 gals/mgals corrosion inhibitor, and 10 lbs/mgals iron sequestering agent. I percent motual solvent, neutralizing any unspent acid that returns to hank. If unsuccessful in cleaning well out, POH, RIH with 1-3/4" dynadrill on 1-1/4" coiled tubing and drill out fill. POH.
- 3. MIRU wiretime unit with lubricator. Turn off all radios/cellular telephones on location and post warning signs for radio/cellular telephone silence at all roads within 100 yards of location. Fill with 1-11/16" magnetically decentralized Energet perforating duns loaded with 8.0 gram RDX charges at 6 SPF, 0 degree phasing and perforate 5450 -5514' and 5400'-5435'. POH. RDMO wireline.
- 4. RU coaled tubing. Pickle coiled tubing with 3 bbls of 15 percent HCL acid, reverse out to pit or tank and neutralize. RIH with 1-1/4" coiled tubing with perforation wash nozzle. Wash perforations shot in previous step without taking returns using 2 bbls/ft of 15 percent HCL acid. NOTE: All acid pumped into well to contain 2 gals/mgals corrosion inhibitor, 10 lbs/mgals iron sequestering agent, and 1 percent mutual solvent. Pump rate should be maximum injection rate at 5000 psi surface injection pressure. Overdisplace acid using fresh water. POH. RDMO coiled tubing unit and all surface equipment.
- 5. Pump out table. Furn well over to production leaving well shut in: $\langle \langle \gamma \rangle \rangle$

MOBIL OIL CO

Service Center, Inc. HOU Sandstone Avenue

					505-327-5449 Office armington. New Mexi-
	DATE	_11/3	5/90 R-13		= MCELMO CREEK KB 9.5
- 			WELL NO.	EAS	F THECELMO CREATE KB 4.5
	1 [H		23/8 T	8C- = .003870 BAL/F
	1 1	- []		4/2	CSG SULTER
				23/8 >	CSQ = 101624 88L/FF LLY 2 ANNUAR = 101077 88L/FF
					2.01977
				23/8	TSC = 20.51 BBC
<u> </u>				23/8 x	41/2 ANNULAR = 57.08 BBL
3				Uali	POOLSA = 57.08 BBC
			171 , TS OF 27/8 E	<u> </u>	ME TO PACKER = 77.59 BBL
1		1	PLASTIC LINED TBA	5282	1311/2
*		4	THREADS CONTED	132821	1/5
		1	IN SEAL LUBE		0
ĺ		1	3000 2300	 	PICKED UP TOOLS. R.I.H.
				+	W/ 171 JTS. SHUT WELL
				+	IN FOR NIGHT.
	1 1	1			11/6
		1			Pumpes out Plug
		İ			SET PACKER IN 15 000 #
				 	Con pression. SHUT
	- 			ļ	UALVE, COT OFF HEL
5291,62		1 '	1		N. POLES UP TREE PUMPED
333,182	·		73/11/23/2015 11/5	 	PACKER FLUID FLANCED
5293.47	١.١	1	33/4×23/8×1.81"F"HEL	1 83	S up well HEAD PRESSURE
2243, 41		`I .	ONE OFF 316 22	ļ <u> </u>	TESTED WELL TO 1000 PSI
	XIII	7	MODEL "B" SHUT	1 \$0	For 30 m.n.
5294.97	And a		OF VALUE 925 INCOMEL	<u> </u>	
2244.17	\	,			WELL READY FOR INJECTION
\/	- 1\ /	/	4 1/2 438 BAKER	<u> 5</u> 43	
X	IX		IN UE OTED LOE SET		
521.11	- / \		PACKER W 6 PE		
5300.42	<u> </u>	¥]	5 x Stem 925 Ix WHEL		
İ					
			TOTAL TOOLS & TRC	5290 92	
			KB DD JUSTMENT	5300 HZ	
1					
			I HO OKLOWY	24910	HOLE DRY
				224194	HOLE FULL
					11000 1-400
ľ					
I				~~ 	
į.					
•		-			
PBTI	2501	41	15,000 #U = 18" \$	LACK OF	
1011	. UG1	7			

PROFILE HISTORY McElmo Creek Unit R-13



PROFILE NOTES:

9106 Profile: Channel to Ismay? (RA profile)

PROFILE HISTORY:

DATE	UPIS			LSWA2			DC1C	DC1D	LSWB2	DC2A	 DC2C	DC2D	DC2E	DC3A	DC3B	DC3C	DC3D Unknow
8404 8812 9106		9.1 18.9	24.3 22.1		4.1 4.8 73.0	3.0	2.2 6.0			2.0 18.0		62.5 50.0					

Proposed Perts

5,450' - 5514'



Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

SUNDRY NOTICES AND Do not use this form for proposals to drill or Use "APPLICATION FOR	5. Lease Designation and Serial No. 14-20-603-2057 6. If Indian, Allottee or Tribe Name NAVAJO TRIBAL			
SUBMIT	IN TRIPLICATE	7. If Unit or CA, Agreement Designation MCELMO CREEK UNIT		
	AS AGENT FOR MOBIL OIL CORPORATION	8. Well Name and No. MCELMO CREEK UN R-13 9. API Well No.		
 Address and Telephone No. P. O. 633, MIDLAND, TX 79702 Location of Well (Footage, Sec., T., R., M., or Survey Des 	(915) 688-2585	43-037-16148 10. Field and Pool, or exploratory Area GREATER ANETH		
660' FNL, 660' FWL; SEC 4, T41S, R25E		11. County or Parish, State SAN JUAN UT		
12. CHECK APPROPRIATE BOX(s) TYPE OF SUBMISSION	TO INDICATE NATURE OF NOTICE, REPORT	r, or other data		
Notice of Intent X Subsequent Report Final Abandonment Notice	Abandonment Recompletion Plugging Back Casing Repair Altering Casing	Change of Plans New Construction Non-Routine Fracturing Water Shut-Off Conversion to Injection		
	Other SI STATUS pertinent details, and give pertinent dates, including estimated date of start ical depths for all markers and zones pertinent to this work.)*	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Record and Log form.)		

THIS WELL HAS BEEN RETURNED TO INJECTION.

ASV - 3 1994

4. I hereby certify that the foregoing is true and correct Signed	Q Title ENV. & REG. TECHNICIAN	Date 05/31/94
Chis space for Federal or State office use) Approved by Conditions of approval, if any:	Title	Date
Title 18 U.S.C. Section 1001, makes it a crime for any person known representations as to any matter within its jurisdiction	vingly and willfully to make to any department or agency of t	ne United States any false, fictitious or fraudulent statement

Form 3160-5 (June 1990)

(This space for Federal or State office use)

Approved by

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

Lease Designation and Serial No.

BUREAU OF I	LAND MANAGEMENT	5. Lease Designation and Serial No.
SUNDRY NOTICES AN	D REPORTS ON WELLS	14-20-603-2057
Do not use this form for proposals to drill	or to deepen or reentry to a different letter CAS	6 If Indian, Allottee or Tribe Name
	PERMIT - " for such proposals	NAVAJO TRIBAL
		7. If Unit or CA, Agreement Designation
SUBMIT	IN TRIPLICATE	MCELMO CREEK
I. Type of Well Oil Gas Y TN 1007 TON		
Well Well A Other INJECTION		8. Well Name and No.
2. Name of Operator Mobil Exploration &	Producing U.S. Inc.	MCELMO CREEK R-13 9. API Well No.
as Agent for Modil 1 3. Address and Telephone No.	Producing TX & NM Inc.	43-037-16148
P.O. Box 633, Midland, TX 79	702 915/688-2585	10. Field and Pool, or exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey De		GREATER ANETH
660' FNL, 500' FWL		11. County or Parish, State
NW NW SEC. 4, T41S, R25E		
		SAN JUAN UTAH
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTIO	ON
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
X Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other ACIDIZE	Dispose Water
		(Note: Report results of multiple completion on Well Completion of Recompletion Report and Log form.)
	Il pertinent details, and give pertinent dates, including estimated date of rtical depths for all markers and zones pertinent to this work.)*	starting any proposed work. If well is directionally drill
-	5514'-5450', 5432'5400' WITH 192 B	RES 15% HCL. RD MO COMMENCED
INJECTION.	0027 0700 , 0702 0700 11111 232 5	
14. I hereby certify that the foregoing is true and correct		
Signed Muley Robertson	Title ENV & REG TECHNICIAN	Date 3-29-95
4.\		

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

[]	Well File (Location) SecTwpRng (API No.)	(Return Date) _ (To - Initials)	OPER NM CHG
1.	Date of Phone Call: 8-3-95	Time:	
2.	DOGM Employee (name) L. C. Talked to:		(Initiated Call [])
	NameR. J. FIRTH of (Company/Organization)		
3.	Topic of Conversation: MEP		
	· ·		
4.	Highlights of Conversation: OPERATOR NAME IS BEING CHANGED NORTH AMERICA INC) TO MOBIL EXP	FROM M E P N A (MOBIL EX	APLORATION AND PRODUCING HANGE IS BEING DONE AT
	*SUPERIOR OIL COMPANY MERGED IN		

Mobil Oil Corporation

(3808)

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661 Page No. 2 08/03/95

STATE OF UTAH INVENTORY OF INJECTION WELLS

OPERATOR	API NO.	WELL	TNS	RGE	SE	WELLTYPE	INDIAN COUNT
*******	*****	*****	***	***	**	******	*****
MEPNA (MOBIL	43-037-30974	G-21A	41S	24E	13	INJW	Y
MEPNA (MOBIL	43-037-16344	E-23	41S	24E	14	INJW	Y
MEPNA (MOBIL	43-037-16343	E-21	41S	24E	14	INJW	Y
MEPNA (MOBIL	43-037-16353	I-25	41S	24E	24	WLNI	Y
MEPNA (MOBIL	43-037-16349	G-25	41S	24E	24	INJW	Y
MEPNA (MOBIL	43-037-16384	V-15	41S	25E	3	INJI	Y
MEPNA (MOBIL	43-037-16383	V-13	41S	25E	3	WLNI	Y
MEPNA (MOBIL	43-037-16157	U-16	41S	25E	4	INJW	Y
MEPNA (MOBIL	43-037-16148	R-13	41S	25E	4	INJW	Y
MEPNA (MOBIL	43-037-16149	R-15	41S	25E	4	INJW	Y
MEPNA (MOBIL	43-037-16378	T-13	41S	25E	4	INJW	Y
MEPNA (MOBIL	43-037-16379	T-15	41S	25E	4	WLNI	Y
MEPNA (MOBIL	43-037-16156	U-14	41S	25E	4	WLNI	Y
MEPNA (MOBIL	43-037-16152	S-16	41S	25E	4	INJW	Y
MEPNA (MOBIL	43-037-16151	S-14	41S	25E	4	WLNI	Y
MEPNA (MOBIL	43-037-16365	0-14	41S	25E	5	, WUNI	Y
MEPNA (MOBIL	43-037-15969	0-16	41S	25E	5	INJW	Y
MEPNA (MOBIL	43-037-16363	N-15	41S	25E	5	INJW	Y
MEPNA (MOBIL	43-037-15966	N-13	415	25E	5	INJW	Y
MEPNA (MOBIL	43-037-15975	Q-16	41S	25E	5	WLNI	Y
MEPNA (MOBIL	43-037-15974	Q-14	41S	25E	5	INJW	Y
MEPNA (MOBIL	43-037-15972	P-15	41S	25E	5	INJW	Y
MEPNA (MOBIL	43-037-16368	P-13	41S	25E	5	INJW	Y
MEPNA (MOBIL	43-037-15960	L-15	41S	25E	6	IUNI	Y
MEPNA (MOBIL	43-037-16355	J-13	41S	25E	6	INJW	Ÿ
MEPNA (MOBIL	43-037-15959	L-13	41S	25E	6	INJW	Ÿ
MEPNA (MOBIL	43-037-15963	M-14	41S	25E	6	INJI	Ÿ
MEPNA (MOBIL	43-037-15957	K-16	41S	25E	6	INJI	Ÿ
MEPNA (MOBIL	43-037-15954	J-15	415	25E	6	INJI	Ÿ
MEPNA (MOBIL	43-037-15956	K-14	41S	25E	6	INJW	Ÿ
MEPNA (MOBIL	43-037-16361	M-16	41S	25E	6	INJW	Y
MEPNA (MOBIL	43-037-15498	J-17	41S	25E	7	INJW	Y
MEPNA (MOBIL	43-037-15511	M-20	41S	25E	7	INJW	Y
✓MEPNA (MOBIL	43-037-15510	M-18	41S	25E	7	INJW	Y
MEPNA (MOBIL	43-037-15516	L-19	41S	25E	7	INJW	Y
MEPNA (MOBIL	43-037-15369	L-17	41S	25E	7	INJW	Y
MEPNA (MOBIL	43-037-15503	K-20	41S	25E	7	INJW	Y
MEPNA (MOBIL	43-037-16357	K-18	41S	25E	7	INJW	Y
MEPNA (MOBIL	43-037-16356	J-19	41S	25E	7	INJW	Y
MEPNA (MOBIL	43-037-15519	P-17	41S	25E	8	INJW	Y
MEPNA (MOBIL	43-037-15515	N-19	41S	25E			Y
MEPNA (MOBIL	43-037-15514	N-17	41S	25E	8	INJW	Y
MEPNA (MOBIL	43-037-15520	P-19	41S		8	INJW	Y
MEPNA (MOBIL	43-037-15517			25E	8	INJW	
`	43-037-15517	O-18	41S	25E	8	INJW	Y
		R-19	41S	25E	9	WLNI	Y
	43-037-15976	R-17	41S	25E	9	INJI	Y
	43-037-16380	T-17	41S	25E	9	INJW	Y Y
MEPNA (MOBIL	43-037-16374	R-21	41S	25E	16	INJW	Y
MEPNA (MOBIL	43-037-31439	P-23A	41S	25E	17	INJW	Y
MEPNA (MOBIL	43-037-15516	N-21	41S	25E	17	INJW	Y
MEPNA (MOBIL	43-037-16369	P-21	41S	25E	17	INJW	Y
MEPNA (MOBIL	43-037-16364	N-23	41S	25E	17	INJW	Y
MEPNA (MOBIL	43-037 - 15507	L-23	41S	25E	18	WLNI	Y

Division of Oil, Gas and Mining OPERATOR CHANGE HORKSHEET Attach all documentation received by the division regarding this change. 3=D129/9-FILE Initial each listed item when completed. Write N/A if item is not applicable. 5-RJF ☐ Change of Operator (well sold) ☐ Designation of Agent □ Designation of Operator 6- LWP XXX Operator Name Change Only The operator of the well(s) listed below has changed (EFFECTIVE DATE: TO (new operator) MOBIL EXPLOR & PROD FROM (former operator) M E P N A (address) C/O MOBIL OIL CORP (address) C/O MOBIL OIL CORP PO DRAWER G PO DRAWER G CORTEZ CO 81321 CORTEZ CO 81321 phone (303) 564-5212 phone (303)564-5212 account no. N7370 account no. N7370 Hell(s) (attach additional page if needed):
 Name:
 ** SEE ATTACHED **
 API:
 C37-16148 Entity:
 Sec Twp Rng Lease Type:
 Lease Type:

 Name:
 API:
 Entity:
 Sec Twp Rng Lease Type:

 Name:
 API:
 Entity:
 Sec Twp Rng Lease Type:
 Name:_____ API:_____ Entity:____ Sec__Twp__Rng__ Lease Type:____
 Name:
 API:
 Entity:
 Sec__Twp__Rng__ Lease Type:
 Lease Type:

 Name:
 API:
 Entity:
 Sec__Twp__Rng__ Lease Type:
 Name: _____ API: ____ Entity: ____ Sec__Twp__Rng__ Lease Type: ____ OPERATOR CHANGE DOCUMENTATION 1. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from former operator (Attach to this form). <u>씨</u> 2. (Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received from <u>new</u> operator (Attach to this form). operating any wells in Utah. Is company registered with the state? (yes/no) _____ If yes, show company file number: _____. 4. (For Indian and Federal Hells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below. 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (8-3-95)6. Cardex file has been updated for each well listed above. 8-31.95 WF 7. Well file labels have been updated for each well listed above. 9-18-9-Hec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (8-3-95) ${\it LL}_9$. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

OPERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEH
Lec 1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/ho) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form).
M# 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VE	ERIFICATION (Fee wells only) & No Fee Leese Wells at this time!
N/A/1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE I	NTEREST OWNER NOTIFICATION RESPONSIBILITY
<i>U</i> 1 –	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated
<u>r4/4</u> 2.	Copies of documents have been sent to State Lands for changes involving State leases.
FILMING	
	All attachments to this form have been microfilmed. Date: October 4 1995.
FILING	
1. 9	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMENT	S
95080	3 Will F5/Not necessary!
WE71/34-	-35

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED

Budget Bureau No. 1004-0135

Brainer: March 21, 1993

Expires: March 31, 1993

5. Lease Designation and Serial No.

OUNDRY MATACA AM	n neropto on welle	14-20-603-2057			
SUNDRY NOTICES AN	6. If Indian, Allottee or Tribe Name				
Do not use this form for proposals to drill	NAVAJO TRIBAL				
USE APPLICATION FOR	PERMIT - " for such proposals	7. If Unit or CA, Agreement Designation			
	SUBMIT IN TRIPLICATE				
1. Type of Well Oil Gas Well Woll Other		8. Well Name and No. MCELMO CREEK UNIT R-13			
2. Name of Operator MOBIL PRODUCING TX & NE	1 INC.* RODUCING US INC. AS AGENT FOR HPTH	9. API Well No.			
3. Address and Telephone No.		43-037-16148			
P.O. Box 633, Midland TX 79702	(915) 688-2585	10. Field and Pool, or exploratory Area			
4. Location of Well (Footage, Sec., T., R., M., or Survey De	secription)	GREATER ANETH			
(NW/NW) SEC.4, T41S, R25E		11. County or Parish, State			
660' FNL & 660' FWL		· ·			
		19411 49411			
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT	I, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION	N			
Notice of Intent	Abandonment	Change of Plans			
<u> </u>	Recompletion	New Construction			
X Subsequent Report	Plugging Back	Non-Routine Fracturing			
	Casing Repair	Water Shut-Off			
Final Abandonment Notice	Altering Casing	Conversion to Injection			
	X Other MIT & CHART	Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)			
Describe Proposed or Completed Operations (Clearly state all give subsurface locations and measured and true vertically state and true vertically subsurface locations.)	l pertinent details, and give pertinent dates, including estimated date of sta tical depths for all markers and zones pertinent to this work.)*				
SCHEDULED MIT (1999)					
ATTACHED MIT & CHART					
					
	<u> </u>	DECEIVED			

\overline{M}	CEIVE	
	JUL 1 2 1999	
ואוכ	OIL CAS & MINI	אום
	OIL, GAS & MINI	DIV.

14. I hereby certify that the forgoing is true and correct Signed O. O. O.	for Tie	SHIRLEY HOUCHINS, ENV. & REG. TECH	Date 7-09-99
(This space for Federal or State office use)			
Approved by Conditions of approval, if any:	Tid		Date
-			

ANNULAR PRESSURE TEST (Mechanical Integrity Test)


Operator MOBILE. 4P. Inc. Well Name Mc Elmo Crack Unit	EPA Permi						
Location STUTUS, R25E		Tribal Leas	se No. 14706037057				
State and County SAN JUAN COU	/ 1						
Continuous Recorder? YES N		essure Gauge? YI					
Bradenhead Opened? YES No	O 🗆 Flu	id Flow? YES	2 _{NO} 🗆				
TIME	ANNULUS PI	RESSURE, psi	TUBING PRESSURE, psi				
11:50 Am	1170	1220	2725				
11:65 Am	1170	1215	2725				
12:00 Noon	1170	1215	2725				
12:05 Pm	1170	1215	2725				
12:10 Pm	1170	1215	2725				
12:15 PM	1170	1215	2725				
12:20 Pm	1170	1215	2725				
MAX. INJECTION PRESSURE: 2750 PSI MAX. ALLOWABLE PRESSURE CHANGE: 58.50 PSI (TEST PRESSURE X 0.05) REMARKS: (Passed?) Failed? If failed, cease injection until well passes MIT (40CFR§144.21(c)(6)). Fluid from bradenhead was going to be bled off into truck by MabilEtt, Passed MIT.							
ALBERT M. TOHTSOME AM DITTORING COMPANY REPRESENTATIVE: (Print and Sign) MELVINA KCLAH Melvinak Clah INSPECTOR: (Print and Sign) DATE DATE							

USEPA - Region IX (White)

REGION-IX-FORM-935 (6/13/96)

NEPA-GPCP (Yellow)

Operator (Pink)



U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte J. Darper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

e a 200**1**

OBLIGHE AND MINURG



United States Department of the Interior

NAVATORECTON

P.O. Box 1060 Gallup, New Mexico 87305-1060

AUG 3 0 2001

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CEMNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

ADM L ADM L
NATV AND MIN COORD
SOLID NEW TEAM
PETRO MANTERIA 2
O&GINJHEDD YEAM
ALL TEAM LEADERS
LAND RESOURCES
ENVIRONMENT
FILES

ExxonMobil Production Company U.S. West P.O. Box 4358 Houston, Texas 77210-4358


June 27, 2001

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

1/2/2001 Sp 543 >bil

ExonMobil
Production



Change of Name ~
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Isaic

Charlotte U. Harper

Bureau of Indian Affairs Navajo Region Office Attn: RRES - Mineral and Mining Section P.O. Box 1060 Gallup, New Mexico 87305-1060

^	_	_4			_		_
u	е	nτ	lе	m	е	n	:

The current list Corporation), o	ting of officers and director of	ExxonMobil 0il Corporation (Name of (State) is as follows:
President Vice President Secretary Treasure	F.A. Risch	OFFICERS Address 5959 Las Colinas Blvd. Irving, TX 75039 Address 800 Bell Street Houston, TX 77002 Address 5959 Las Colinas Blvd, Irving, TX 75039
Name <u>P.A. Ha</u> Name <u>T.P. To</u> Name <u>B.A. Ma</u>	sch	Address 5959 Las Colinas Blvd. Irving, TX 75039 Address 5959 Las Colinas Blvd. Irving, TX 75039
and in t	he custody of _corporation Ser	ertaining toExxonMobil Oil Corporation (Corporation) ds and accounts covering business for the State ofUtah vice Company (Agent), Phone:1 (800)927-9800, 201 South Main Street, Salt Lake City, Utah 84111-2218 Signature AGENT AND ATTERNEY IN FACT Title

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. U. Muleucan
Assistant Secretary

COUNTY OF DALLAS STATE OF TEXAS

UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

Notary Public

LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

1. 01

CHUBB GROUP OF INSURANCE COMPANIES

History Constitution South, State 1900, Mouston Texas, 77027-3301 History (113) 227-4600 r Feasings (713) 297-4760 NN Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97
wherein
Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

By: (Atar

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact





Federal Insurance Company Vigilant Insurance Company **Pacific Indemnity Company**

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconsin corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than ball bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or atteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this $10 \mathrm{th}$ day of May, 2001.

STATE OF NEW JERSEY

County of Somersel

On this 10th day of May, 2001 , before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Atlorney, and the said Kenneth C. Wendel being by me duty sworm, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seats thereof, and that he is a substant of the Bullawa of said Commandes: and that he that the seals afficied to the foregoing Power of Attorney are such corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he signed said Power of Attorney are auch corporate seals and were thereto affixed by authority of the By-Laws of said Companies; and that he vice President of said Companies; and that he signed said Companies; and that the signeture of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E.

Notary Public State of New Jersey

No. 2231647

Commission Expires Qd 2004 ON

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by faceknile to any power of attorney or any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertaidings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

(f) the foregoing extract of the By-Laws of the Companies is true and correct,

(ii) the Companies are duly iconsed and authorized to transact surely business in all 50 of the United States of America and the District of Columbia and are authorized by the U.S. Tressury Department; further, Federal and Vigiliant are licensed in Puerto Rico and the U.S. Virgin Islands, and Federal is licensed in American Samos, Guam, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Altorney is true, correct and in full force and effect.

Given under my hand and seats of said Companies at Warren, NJ this 12th day of June, 2001







harabrice

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

. 09

CSC

ÇŞÇ,

5184334741

06/01 '01 08:46 NO.410 03/05

06/01 '01 09:06 No.135 02/04

F010601000 187

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

Ο̈́F

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Lew, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the smendments to the Certificate of Incorporation effected by this Certificate are as follows:

- (a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:
 - "1st The corporate name of said Company shall be,
 ExamMobil Oil Corporation",
- (b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby smended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to wore on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this <u>22nd</u> Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS
COUNTY OF DALLAS


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 224 day of May, 2001.

[SEAL]

NOTARY PUBLIC, STATE OF TEXAS



P. 11

CSC CSC

:7

5184334741

06/01 '01 09:01 NO 411 02/02 6/01 '01 09:00 NO 411 02/02 01060100018

C3C 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

100 STATE OF NEW YORK

Filed by: EXXONMOBIL CORPORATION (Name)

FILED JUN 0 1 2001 TAX\$

5959 Les Colines Blvd (Mailing address)

Irving, TX 75039-2298

(City, State and Zip code)

JUL 6 5 2001 THE SERVICES

010601000/9

,TEL=5184334741

06/01/01 08:19

State of New York | State | Ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH 2. CDW 3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, e	effective:	06-01-2001				
FROM: (Old Operator):		TO: (New Op	erator):			
MOBIL EXPLORATION & PRODUCTION	1	EXXONMOBIL OIL CORPORATION				
Address: P O BOX DRAWER "G"		Address: USV				
	1				····	
CORTEZ, CO 81321		HOUSTON, T	X 77210-43	58		
Phone: 1-(970)-564-5212	1	Phone: 1-(713)	431-1010			
Account No. N7370		Account No.				
CA No.	•	Unit:	MCELMO	CREEK		
WELL(S)						
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
MCELMO CREEK S-16		43-037-16152		INDIAN	WI	A
MCELMO CR U-14		43-037-16156	4	INDIAN	WI	Α
MCELMO CR U-16		43-037-16157		INDIAN	WI	Α
NAVAJO P-4 (MCELMO R-13)		43-037-16148		INDIAN	WI	Α
NAVAJO P-1 (MCELMO R-15)		43-037-16149		INDIAN	WI	Α
NAVAJO P-6 (MCELMO T-13)		43-037-16378		INDIAN	WI	Α
NAVAJO P-5 (MCELMO T-15)		43-037-16379		INDIAN	WI	Α
NAVAJO 11-5 (MCELMO N-13)		43-037-15966		INDIAN	WI	Α
NAVAJO C-3 (MCELMO O-16)		43-037-15969	1	INDIAN	WI	A
NAVAJO C-8 (MCELMO P-15)		43-037-15972		INDIAN	WI	A
NAVAJO C 42-5 (MCELMO Q-14)		43-037-15974		INDIAN	WI	Α
NAVAJO C-5 (MCELMO Q-16)		43-037-15975		INDIAN	WI	A
NAVAJO C-6 (MCELMO N-15)		43-037-16363		INDIAN	WI	A
NAVAJO C 22-5 (MCELMO O-14)	<u> </u>	43-037-16365		INDIAN	WI	Α
NAVAJO C-31-5 (MCELMO P-13)		43-037-16368		INDIAN	WI	Α
NAVAJO C 13-6 (MCELMO J-15)		43-037-15954		INDIAN	WI	Α
NAVAJO C 22-6 (MCELMO K-14)		43-037-15956		INDIAN	WI	A
MCELMO CR K-16		43-037-15957		INDIAN	WI	Α
NAVAJO C 31-6 (MCELMO L-13)		43-037-15959		INDIAN	WI	A
NAVAJO 33-6 (MCELMO L-15)		43-037-15960		INDIAN	WI	A
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received to		-		06/29/2001	-	
2. (R649-8-10) Sundry or legal documentation was received to3. The new company has been checked through the Departm		•	06/29/2003	•	ase on•	04/09/2002
4. Is the new operator registered in the State of Utah:	YES	Business Numb	-	579865-014		0 11 0 31 20 0 2
5. If NO , the operator was contacted contacted on:	N/A					

6.	Federal and Indian Lease Wells: The BLM and or operator change for all wells listed on Federal or Indian		as approve BIA-06/01/0	•	name change,
7.	Federal and Indian Units:				
	The BLM or BIA has approved the successor of unit op	erator for wells	s listed on:	06/01/2001	
8.	Federal and Indian Communization Agreem The BLM or BIA has approved the operator for all well	•	•	N/A	
9.	Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the			on: <u>04</u>	ransfer of Authority to Inject, /16/2002 EPA ISSUES UIC PERMITS
D	ATA ENTRY:				
1.	Changes entered in the Oil and Gas Database on:	04/16/2002			
2.	Changes have been entered on the Monthly Operator Ch	nange Spread	Sheet on:	04/16/2002	
3.	Bond information entered in RBDMS on:	N/A	-		
4.	Fee wells attached to bond in RBDMS on:	N/A			
ST	TATE WELL(S) BOND VERIFICATION:			•	
1.	State well(s) covered by Bond Number:	N/A	•		
FI	EDERAL WELL(S) BOND VERIFICATION:				
1.	Federal well(s) covered by Bond Number:	N/A			
ĪN	DIAN WELL(S) BOND VERIFICATION:				
1.	Indian well(s) covered by Bond Number:	80273197			
FF	EE WELL(S) BOND VERIFICATION:				
1.	(R649-3-1) The NEW operator of any fee well(s) listed co	overed by Bond	i Number	N/A	
	The FORMER operator has requested a release of liability The Division sent response by letter on:	from their bor N/A	nd on:	N/A	
LI	EASE INTEREST OWNER NOTIFICATION:	:			
3.	(R649-2-10) The FORMER operator of the fee wells has be of their responsibility to notify all interest owners of this cl		and informed N/A	l by a letter from t	the Division
CC	DMMENTS:				

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING				
1.	DJJ	1		
2.	CDW			

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		6/1/2006			
FROM: (Old Operator):	TO: (New Operator):				
N1855-ExxonMobil Oil Corporation	N2700-Resolute Natura	al Resources Company			
PO Box 4358	1675 Broadway, Suite 1950				
Houston, TX 77210-4358	Denver, CO 80202				
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-460				
CA No.	Unit:	MC ELMO (UIC)			
OPERATOR CHANGES DOCUMENTATION					
Enter date after each listed item is completed	EODMED amagatag an	a: 4/21/2006			
1. (R649-8-10) Sundry or legal documentation was received from the		4/24/2006			
2. (R649-8-10) Sundry or legal documentation was received from the			(/7/2006		
3. The new company was checked on the Department of Commerce			6/7/2006		
	Business Number:	5733505-0143			
5. If NO , the operator was contacted contacted on:					
6a. (R649-9-2)Waste Management Plan has been received on:	requested				
6b. Inspections of LA PA state/fee well sites complete on:	n/a				
6c. Reports current for Production/Disposition & Sundries on:	ok				
7. Federal and Indian Lease Wells: The BLM and or the I	BIA has approved th	e merger, name change) ,		
or operator change for all wells listed on Federal or Indian leases of	on: BLN	<u>M</u> n∕a <u>BIA</u>	not yet		
8. Federal and Indian Units:					
The BLM or BIA has approved the successor of unit operator fo	r wells listed on:	not yet			
9. Federal and Indian Communization Agreements ("	CA"):				
The BLM or BIA has approved the operator for all wells listed v	vithin a CA on:	n/a			
10. Underground Injection Control ("UIC") The D	ivision has approved UI	C Form 5, Transfer of Aut	hority to		
Inject, for the enhanced/secondary recovery unit/project for the w	ater disposal well(s) liste	ed on: 6/12/2006			
DATA ENTRY:					
1. Changes entered in the Oil and Gas Database on:	6/22/2006				
2. Changes have been entered on the Monthly Operator Change Sp	oread Sheet on:	6/22/2006			
3. Bond information entered in RBDMS on:	<u>n/a</u>				
4. Fee/State wells attached to bond in RBDMS on:	<u>n/a</u>				
5. Injection Projects to new operator in RBDMS on:	6/22/2006				
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a	- N - N - N - N - N - N - N - N - N - N	- 100 Marie 1		
BOND VERIFICATION:					
1. Federal well(s) covered by Bond Number:	<u>n/a</u>				
2. Indian well(s) covered by Bond Number:	PA002769	n/a			
3. (R649-3-1) The NEW operator of any fee well(s) listed covered b					
a. The FORMER operator has requested a release of liability from the The Division sent response by letter on:	eir bond on:n/a n/a	<u></u>			
LEASE INTEREST OWNER NOTIFICATION:					
4. (R649-2-10) The FORMER operator of the fee wells has been con	tacted and informed by	a letter from the Division			
of their responsibility to notify all interest owners of this change on: n/a					
COMMENTS:	71.6				

STATE OF UTAH **DEPARTMENT OF NATURAL RESOURCES** DIVISION OF OIL, GAS AND MINING

TRANSFER OF AUTHORITY TO INJECT					
Well Name and Number See attached list	API Number Attached				
Location of Well Footage: See attached list	County : San Juan	Field or Unit Name McElmo Creek Unit			
QQ, Section, Township, Range:	State: UTAH	Lease Designation and Number See attached list			

EFFECTIVE DATE OF TRANSFER: 6/1/2006

CURRENT OF	PERATOR		
Company:	Exxon Mobil Oil Corporation	Name:	
Address:	PO Box 4358	Signature:	
	city Houston state TX zip 77210-4358	Title:	
Phone:	(281) 654-1936	Date:	
Comments:	Exxon Mobil has submitted a separate, signed cop	v of UIC Form 5	
Gorillicitis.	Exxon Mobil has submitted a separate, signed cop	y of UIC Form 5	

NEW OPERAT	FOR		
Company:	Resolute Natural Resources Company	Name:	Dwight E Mallory
Address:	1675 Broadway, Suite 1950	Signature:	Ju Elly
	city Denver state CO zip 80202	Title:	Regulatory Coordinator
Phone:	(303) 534-4600	Date:	4/20/2006
Comments:	A list of affected UIC wells is attached. New bond numbers for these wells are: BIA Bond # PA002769 and US EPA Bond # B001252		

(This space for State use only)

Transfer approved by:

Approval Date: b/12/06

Comments:

RECEIVED APR 2 4 2006

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES

SUNDRY NOTICES AND REPORTS ON WELLS			5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list	
			6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo Tribe	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals,				7. UNIT OF CA AGREEMENT NAME: McElmo Creek Unit
1. TYPE OF WELL OIL WELL		Unit Agreeme		8. WELL NAME and NUMBER: See attached list
2. NAME OF OPERATOR:	ces Company N2700		45.00	9. API NUMBER:
Resolute Natural Resour	ces Company /4 / 100		PHONE NUMBER:	Attached 10. FIELD AND POOL, OR WILDCAT:
1675 Broadway, Suite 1950	TY Denver STATE CO ZI		(303) 534-4600	Greater Aneth
4. LOCATION OF WELL			-10 - 3321-324-516	Amala P. S. S.
FOOTAGES AT SURFACE: See a	inacien iist			COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN:			STATE: UTAH
11. CHECK APP	PROPRIATE BOXES TO INDICA	TE NATURE C	F NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION		TY	PE OF ACTION	
NOTICE OF INTENT	ACIDIZE	DEEPEN		REPERFORATE CURRENT FORMATION
(Submit in Duplicate)	ALTER CASING	FRACTURE T		SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR CHANGE TO PREVIOUS PLANS	NEW CONST		TEMPORARILY ABANDON
8 	CHANGE TUBING	OPERATOR (U TUBING REPAIR VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME	PLUG BACK		WATER DISPOSAL
(Submit Original Form Only)	CHANGE WELL STATUS	PRODUCTION	(START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS	=	N OF WELL SITE	OTHER:
	CONVERT WELL TYPE	RECOMPLET	E - DIFFERENT FORMATION	
12. DESCRIBE PROPOSED OR C	OMPLETED OPERATIONS. Clearly show all	pertinent details incl	uding dates, depths, volume	es, etc.
Effective June 1, 2006 Ex Resolute Natural Resource	xxon Mobil Oil Corporation resignates Company is designated as su	ns as operator ouccessor opera	of the McElmo Cree tor of the McElmo (k Unit. Also effective June 1, 2006 Creek Unit.
A list of affected producin UIC Form 5, Transfer of A	ng and water source wells is attac Authority to Inject.	ched. A separa	te of affected injecti	on wells is being submitted with
As of the effective date in	oond coverage for the affected we	alle will transfor	to BIA Bond # DAG	002760
As of the ellective date, b	ond coverage for the affected we	ens will transfer	to bia bond # PAC	02769.
NAME (PLEASE PRINT) Dwight E	Мыногу)	TITLE	Regulatory Coord	linator
1 t 21	1/2	3000-000	4/20/2006	
SIGNATURE 0.9	\rightarrow	DATE	4/20/2000	· · · · · · · · · · · · · · · · · · ·
(This space for State use only)			100	
APPRE	WED 6 122106			DEOF
111 IC	VED 6 122106			RECEIVED
$\mathcal{C}_{\mathbf{A}}$	L Venia KAINIOO			100 -

(5/2000)

Division of Oil, Gas and Mining (See Instructions on Reverse Side)
Earlene Russell, Engineering Technician

APR 2 4 2006

DIV. OF OIL, GAS & MINING

	n.e	STATE OF UTAH EPARTMENT OF NATURAL RESO	LIBOE	6		FORM 9	
	DI/	5. LEASE DESIGNATION AND SERIAL NUMBER:					
S	UNDRY N	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock 7. UNIT of CA AGREEMENT NAME:					
Do not use this form for pro	posals to drill new v frill horizontal lateral		J68930A				
1. TYPE OF WELL	OIL WELL	8. WELL NAME and NUMBER: McElmo Creek					
2. NAME OF OPERATOR:		N 1855				NUMBER:	
ExxonMobil Oil C 3. ADDRESS OF OPERATO		attached 10. FIELD AND POOL, OR WILDCAT:					
P.O. Box 4358		louston STATE TX	_{ZIP} 772	PHONE NUMBER: 210-4358 (281) 654-1936	Ane	SERVICE SERVICE CONTRACTOR CONTRA	
4. LOCATION OF WELL FOOTAGES AT SURFAC	E:		III 0	大概是1000年		ry: San Juan	
QTR/QTR, SECTION, TO	WNSHIP, RANGÉ,	MERIDIAN:			STATE	: UTAH	
11. CHE	CK APPRO	PRIATE BOXES TO INDICA	ATE N	IATURE OF NOTICE, REPO	RT, O	R OTHER DATA	
TYPE OF SUBMI	SSION			TYPE OF ACTION			
NOTICE OF INTER	JT C	ACIDIZE		DEEPEN		REPERFORATE CURRENT FORMATION	
(Submit in Duplicat		ALTER CASING		FRACTURE TREAT		SIDETRACK TO REPAIR WELL	
Approximate date wor	k will start:	CASING REPAIR		NEW CONSTRUCTION		TEMPORARILY ABANDON	
6/1/2006	E	CHANGE TO PREVIOUS PLANS		OPERATOR CHANGE		TUBING REPAIR	
_		CHANGE TUBING		PLUG AND ABANDON		VENT OR FLARE	
SUBSEQUENT RE		CHANGE WELL NAME		PLUG BACK		WATER DISPOSAL	
Date of work completion	· · · · · · · · · · · · · · · · · · ·	CHANGE WELL STATUS		PRODUCTION (START/RESUME)		WATER SHUT-OFF	
bate of work complete	"··· [COMMINGLE PRODUCING FORMATION	ıs 🔲	RECLAMATION OF WELL SITE		OTHER:	
		CONVERT WELL TYPE		RECOMPLETE - DIFFERENT FORMATION			
ExxonMobil Oil C Resources Comp	Corporation is pany. All cha	s transferring operatorship o	of Grea	ent details including dates, depths, volument ater Aneth field, McElmo Cree e made effective as of 7:00 A ransfer.	ek leas		
Î	aurie Kilhrid	de .		Permitting Super	visor	NO. AND COMMENTS OF THE PARTY O	

(This space for State use only)

Eprline Russell

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician RECEIVED APR 2 1 2006

DIV. OF OIL, GAS & MINING

4/19/2006

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

MCELMO CREEK D15			¥ 11 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5				(6)					
MCELMO CREEK H11	Danil and M		1.5		10 Table 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1							
MCELMO CREEK 112	Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
MCELMO CREEK 112	MOEI NO ODEEK	1111										
MCELMO CREEK F11 430371561700S1 Shut-in 14-20-0603-6146 NW W W 32 40S 24E 1930FNL 2051FWL MCELMO CREEK G12 430371561800S1 Active 14-20-0603-6146 SE SW 36 40S 24E 1930FNL 2051FWL MCELMO CREEK G12 43037163800S1 Active 14-20-0603-6147 NW SE 2 41S 24E 1830FSL 1830FSL 1830FSL MCELMO CREEK A17 43037163800S1 Active 14-20-0603-6148 NE NE 10 41S 24E 1270FNL 0660FEL MCELMO CREEK G14 430371626500S1 Active 14-20-0603-6509 SE NW 2 41S 24E 1270FNL 0660FEL MCELMO CREEK G14 430371626500S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2140FNL 2140FWL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371626800S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK G14 430371618075 NW 14-20-0603-2048A NW SE 2 64 40S 26E 0660FSL 1980FEL MCELMO CREEK G14 430371618075 Active 14-20-0603-2057 NW NW 33 40S 25E 0500FNL 0680FWL MCELMO CREEK G11 A 43037161800S1 Active 14-20-0603-2057 NW NW 33 40S 25E 0500FNL 0680FWL MCELMO CREEK G11 A 43037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 1080FNL 1980FWL MCELMO CREEK G14 A 30037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 1080FNL 1980FWL MCELMO CREEK G14 A3037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 1080FNL 1980FWL MCELMO CREEK G14 A3037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 1080FNL 1980FWL MCELMO CREEK G14 A3037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1080FPL MCELMO CREEK G14 A3037161800S1 Active 14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1080FPL MCELMO CREEK G14 A3037161800S1 Active G14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1080FPL MCELMO CREEK G14 A3037161800S1 Active G14-20-0603-2057 NW NW 44 41S 25E 0660FNL 1080FPL MCELMO CREEK G14 A3037161800S1 Active G14-20-06								_	_		1855FSL	2100FEL
MCELMO CREEK D15	MCELMO CREEK	112	430371561900S1	Active	14-20-0603-6145	SE	SE	36	40S	24E	0595FSL	0595FEL
MCELMO CREEK D15		- 545								KI .	0	
MCELMO CREEK A17 43037163400S1 Active 14-20-603-6147 NW SE 2 41S 24E 1830FSL 1				Shut-in	14-20-0603-6146	NW	SW	36	40S	24E	1885FSL	0820FWL
MCELMO CREEK A17 43037163800S1 Active 14-20-603-6148 NE NE 10 415 24E 1270FNL 0680FEL MCELMO CREEK C14 430371626500S1 Active 14-20-603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-2048A SW SE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2048A SW SE 2 840S 25E 0660FSL 1980FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0660FWL MCELMO CREEK R11 430371614800S1 Active 14-20-603-2057 NW NW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0680FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660F	MCELMO CREEK	G12	430371561800S1	Active	14-20-0603-6146	SE	SW	36	40\$	24E	1910FNL	2051FWL
MCELMO CREEK A17 43037163800S1 Active 14-20-603-6148 NE NE 10 415 24E 1270FNL 0680FEL MCELMO CREEK C14 430371626500S1 Active 14-20-603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-2048A SW SE 2 41S 24E 2050FNL 1920FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2048A SW SE 2 840S 25E 0660FSL 1980FEL MCELMO CREEK R11 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0660FWL MCELMO CREEK R11 430371614800S1 Active 14-20-603-2057 NW NW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0680FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0066FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660FNL 0660FNL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 5 3 4S 25E 0660F								<u> </u>			200	
MCELMO CREEK C14 43037163800S1 Active 14-20-0603-6148 NE NE 10 41S 24E 1270FNL 0660FEL MCELMO CREEK C14 430371626500S1 Active 14-20-0603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK C14 430371626500S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2140FNL 0500FEL MCELMO CREEK C14 430371626500S1 Active 14-20-0603-6510 NW NE 2 41S 24E 050FNL 0500FEL MCELMO CREEK C14 43037163700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 050FNL 0500FEL MCELMO CREEK C14 43037163700S1 Active 14-20-0603-2048A NW SE 2 8 40S 25E 0660FSL 1980FEL MCELMO CREEK R13 430371614700S1 Active 14-20-0603-2057 NW NW 3 3 40S 25E 0500FNL 0625FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 3 40S 25E 0500FNL 0625FWL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 1980FNL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0680FNL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 1980FNL MCELMO CREEK R13 43037161400S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 0500FNL MCELMO CREEK R13 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 1980FNL MCELMO CREEK R13 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 1980FNL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 1240FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 1240FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 4 15 25E 0660FSL 1240FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 5 13 40S 25E 0646FSL 1240FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 1 14 15 25E 1980FNL 1220FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 1 14 15 25E 0660FNL 060FFL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 1 14 15 25E 0660FNL 060FFL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 1 14 15 25E 0660FNL 060FFL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW 1 14 15 25E 0660FNL 060FFL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW NW	MCELMO CREEK	D15	430371634100S1	Active	14-20-0603-6147	NW	SE	2	41S	24E	1830FSL	1830FEL
MCELMO CREEK C14 430371626700S1 Active 14-20-0603-6509 SE NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK F14 430371626700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK F14 430371626700S1 Active 14-20-0603-6510 NW NE 2 41S 24E 2056FNL 0500FEL MCELMO CREEK F14 430371626700S1 Shut-in 14-20-0603-6510 NW NE 2 41S 24E 2056FNL 0500FEL MCELMO CREEK F18 43037163700S1 Shut-in 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R11A 43037301790S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0625FWL MCELMO CREEK R11A 43037301790S1 Active 14-20-603-2057 NW NW 33 40S 25E 2036FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0500FWL MCELMO CREEK R13 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK R14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1050FWL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1050FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1050FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 0005FNL 1050FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1000FNL 2005FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NE 4 41S 25E 1000FNL 2005FPL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW S1 41S 25E 1000FNL 2005FPL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW S1 41S 25E										-0:		
MCELMO CREEK D13 420371626500S1 Active 14-20-0603-6509 S NW 2 41S 24E 2140FNL 2140FWL MCELMO CREEK D13 42037162670OS1 Active 14-20-0603-6510 NW NE 2 41S 24E 205FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-0603-6510 SE NE 2 41S 24E 205FNL 0500FEL MCELMO CREEK T08 43037163770OS1 Shul-in 14-20-0603-6510 SE NE 2 41S 24E 205FNL 0500FEL MCELMO CREEK R09 43037161470OS1 Active 14-20-0603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R11A 43037301790OS1 Active 14-20-0603-2057 NW NW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R11A 43037301790OS1 Active 14-20-0603-2057 NW SW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 43037161490OS1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FSL 0500FWL MCELMO CREEK R13 43037161500S1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FSL 0500FWL MCELMO CREEK S10 43037161500S1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW SW 44 1S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW NW 44 1S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW NW 44 1S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-0603-2057 NW NW 54 41S 25E 1980FNL 1980FWL MCELMO CREEK S14 430371637600S1 Active 14-20-0603-2057 NW NE 4 41S 25E 2005FNL 1820FWL MCELMO CREEK NH 430371637600S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0050FNL 1820FWL MCELMO CREEK NH 430371637600S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0050FNL 1820FWL MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0500FNL 1820FWL MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0500FNL 1820FWL MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NE 4 41S 25E 0500FNL 1820FWL MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NW 18 41S 25E 1980FNL 0680FNL MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NW 18 41S 25E 1980FNL 0680FNL MCELMO CREEK NH 43037163800S1 Active 14-20-0603-2057 NW NW 18 41S 25E 1980FNL 0680FNL MCELMO CREEK NH 43037163800S1 Activ	MCELMO CREEK	A17	430371633800S1	Active	14-20-0603-6148	NE	NE	10	41S	24E	1270FNL	0660FEL
MCELMO CREEK E14 430371626700S1 Active 14-20-603-6510 SE NE 2 41S 24E 0820FNL 1920FEL 0500FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-6510 SE NE 2 41S 24E 0820FNL 1920FEL MCELMO CREEK E14 430371626800S1 Active 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R108 430371614700S1 Active 14-20-603-2048A SW SE 28 40S 25E 0660FSL 1980FEL MCELMO CREEK R11A 430373017900S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0525FWL MCELMO CREEK R11A 430371614800S1 Active 14-20-603-2057 NW NW 33 40S 25E 0500FNL 0525FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK R15 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FSL 0500FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK S11 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1050FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 0500FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 2005FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 4 41S 25E 0500FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 0500FNL 1820FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 0500FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 0500FNL 2000FEL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 1980FNL 0600FNL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 1980FNL 0660FNL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 NW NW 14 41S 25E 1980FNL 0660FNL MCELMO CREEK S14 43037163800S1 Active 14-20-603-2057 NW NW 14 41S 25E 1980FNL 0660FNL MCELMO CREEK S14 43037163800S1 Active 14-20-603-263 NW NW				555							- 115	
MCELMO CREEK D13 430371626700S1 Active 14-20-0603-6510 SE NE 2 41S 24E 2050FNL 10500FEL	MCELMO CREEK	C14	430371626500S1	Active	14-20-0603-6509	SE	NW	2	41S	24E	2140FNL	2140FWL
MCELMO CREEK E14)		- A - A - A - A - A - A - A - A - A - A							
MCELMO CREEK E14	MCELMO CREEK	D13	430371626700S1	Active	14-20-0603-6510	NW	NE	2	41S	24E	0820FNL	1920FFL
MCELMO CREEK R09	MCELMO CREEK	E14	430371626800S1	Active	14-20-0603-6510	SE						
MCELMO CREEK R11												0000. 22
MCELMO CREEK R11A 430371614700S1 Active 14-20-603-2057 NW NW 33 40S 25E 2030FSL 0680FWL	MCELMO CREEK	T08	430371637700S1	Shut-in	14-20-603-2048A	sw	SE	28	40S	25F	0660ESI	1980FFI
MCELMO CREEK				****							OGGGI GE	10001 EE
MCELMO CREEK R11A 430373017900S1 Active 14-20-603-2057 NW SW 33 40S 25E 2030FSL 0680FWL MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 115 25E 1990FSL 0660FWL MCELMO CREEK R15 430371614900S1 Active 14-20-603-2057 NW W 4 15 25E 1990FSL 0500FWL MCELMO CREEK S10 43037161500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S14 43037161500S1 Active 14-20-603-2057 SE NW 4 415 25E 2005FNL 1820FWL MCELMO CREEK S16 43037163000S1 Active 14-20-603-2057 NW W 4 415 25E 0700FSL 1820FWL MCELMO CREEK T13 430371637900S1 Active 14-20-603-2057 NW NE	MCELMO CREEK	R09	430371614700S1	Active	14-20-603-2057	NW	NW	33	405	25F	0500ENI	0625EWI
MCELMO CREEK R13 430371614800S1 Active 14-20-603-2057 NW NW 4 41S 25E 0660FNL 0660FWL MCELMO CREEK S10 430371637500S1 Active 14-20-603-2057 NW SW 4 41S 25E 1990FSL 0500FWL MCELMO CREEK S10 43037161500OS1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1880FWL MCELMO CREEK S12 43037161500OS1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1880FWL MCELMO CREEK S14 430371615100S1 Active 14-20-603-2057 SE NW 41S 25E 2005FNL 1820FWL MCELMO CREEK S16 43037161500S1 Active 14-20-603-2057 SE SW 41S 25E 00645FSL 2140FWL MCELMO CREEK S16 430373008000S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 2039FEL MCELMO CREEK T15 43037163810OS1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T15 43037163810OS1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 2090FEL MCELMO CREEK T15 43037163500S1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 2090FEL MCELMO CREEK U10 430371615500S1 Active 14-20-603-2057 NW NE 41S 25E 0500FNL 2090FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 NW NE 41S 25E 0660FSL 0805FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 NW NE 41S 25E 0660FSL 0805FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 0600FSL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 0600FSL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 0600FSL MCELMO CREEK U15 43037163800S1 Active 14-20-603-2057 NW NW 31S 25E 0500FNL 050	MCELMO CREEK	R11A										
MCELMO CREEK	MCELMO CREEK	R13										
MCELMO CREEK S10 430371637500S1 Active 14-20-603-2057 SE NW 33 40S 25E 1980FNL 1980FWL MCELMO CREEK S12 43037161500OS1 Active 14-20-603-2057 SE SW 33 40S 25E 0645FSL 2140FWL MCELMO CREEK S14 4303716150OS1 Active 14-20-603-2057 SE NW 4 14IS 25E 2005FNL 1820FWL MCELMO CREEK S16 4303716150OS1 Active 14-20-603-2057 SE SW 4 41S 25E 0700FSL 1820FWL MCELMO CREEK T09A 43037300800S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL MCELMO CREEK T13 43037163780OS1 Active 14-20-603-2057 NW NE 4 41S 25E 0700FSL 1820FWL MCELMO CREEK T13 43037163780OS1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2035FEL MCELMO CREEK T15 430371637900S1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2035FEL MCELMO CREEK U10 43037163780OS1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U12 43037163500S1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1080FNL 0610FSL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1080FNL 0660FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U14 430371638400S1 Active 14-20-603-2057 NW NW NW NW NW SE 25E 0550FSL 0745FEL MCELMO CREEK U14 430371638400S1 Active 14-20-603-2057 NW NW NW NW NW NW NW NW NW NW NW NW NW	MCELMO CREEK	R15										
MCELMO CREEK S12												
MCELMO CREEK S14												
MCELMO CREEK S16 430371615200S1 Active 14-20-603-2057 SE SW 4 41S 25E 0700FSL 1820FWL												
MCELMO CREEK T19A 43037308000S1 Active 14-20-603-2057 NW NE 33 40S 25E 0940FNL 2035FEL						-						
MCELMO CREEK T13 430371637800S1 Active 14-20-603-2057 NW NE 4 41S 25E 0500FNL 2000FEL MCELMO CREEK T15 430371637800S1 Active 14-20-603-2057 NW SE 4 41S 25E 1880FSL 1890FEL MCELMO CREEK U10 430371638100S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 33 40S 25E 0660FSL 0805FEL MCELMO CREEK U14 430371615500S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U14 430371615700S1 Active 14-20-603-2057 SE NE 4 41S 25E 0500FNL 0660FEL MCELMO CREEK U16 430371638300S1 Active 14-20-603-2057 SE NE 4 41S 25E 0500FNL 0660FEL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0600FNL 0600FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW SW 3 41S 25E 0600FNL 0600FWL MCELMO CREEK J17 430371638600S1 Active 14-20-603-2057 NW SW 3 41S 25E 0500FNL 0500FWL MCELMO CREEK J17 A3037163800S1 Active 14-20-603-2057 NW SW 7 41S 25E 0500FNL 0500FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW SW 7 41S 25E 0500FNL 0500FWL MCELMO CREEK K18 43037163500S1 Active 14-20-603-263 NW NW 7 41S 25E 0500FNL 0500FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0500FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 7 41S 25E 0600FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1800FWL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1800FNL MCELMO CREEK K24 43037103000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1900FEL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 SE NW 18 41S 25E 0600FNL 1900FEL MCELMO CREEK K19 43037155000S1 Active 14-20-603-263 NW NE 7 41S 25E 0600FNL 1900FEL MCELMO CREEK M19 43037155000S1 Active 14-20-603-263 NW NE 18 41S 25E 0600FNL 0900FNL MCELMO CREEK M19 43037155100S1 Active 14-20-603-263 NW NW 17 41S 25E 1800FNL 060							Commercial Commercial	_				
MCELMO CREEK T15												
MCELMO CREEK U10 430371638100S1 Active 14-20-603-2057 SE NE 33 40S 25E 1980FNL 0610FSL MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE SE 33 40S 25E 0660FSL 0805FEL MCELMO CREEK U14 430371615600S1 Active 14-20-603-2057 SE NE 4 41S 25E 0660FSL 0805FEL MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE NE 4 41S 25E 0550FSL 0745FEL MCELMO CREEK V13 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0860FNL 0550FWL MCELMO CREEK J17 430371638400S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J21 430371549800S1 Active 14-20-603-263 NW NW												
MCELMO CREEK U12 430371615500S1 Active 14-20-603-2057 SE SE 33 40S 25E 0660FSL 0805FEL												
MCELMO CREEK U14 430371615600S1 Active 14-20-603-2057 SE NE 4 41S 25E 1980FNL 0660FEL MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE SE 4 41S 25E 0660FNL 0660FEL MCELMO CREEK V13 430371638300S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK J17 43037163600S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0550FWL MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 05575FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 NW NW 18 41S 25E 0660FSL 1800FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK L21 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 43037163500S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1980FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 7 41S 25E 1860FSL 1980FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 8 41S 25E 0820FNL 1980FEL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NE 8 41S 25E 0660FSL 0660FWL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NW NW NW NW NW NW NW NW NW NW NW												
MCELMO CREEK U16 430371615700S1 Active 14-20-603-2057 SE SE 4 41S 25E 0550FSL 0745FEL MCELMO CREEK V13 430371638300S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0660FWL MCELMO CREEK V15 430371638400S1 Active 14-20-603-2057 NW NW 3 41S 25E 0660FNL 0560FWL MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371635600S1 Active 14-20-603-263 NW NW 7 41S 25E 0256FNL 1997FWL MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 SE NW 7 41S 25E 0400FNL 0575FWL MCELMO CREEK K20 430371635000S1 Active 14-20-603-263 SE NW												
MCELMO CREEK V13												Andrew Co. Co.
MCELMO CREEK V15 430371638400S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL												
MCELMO CREEK J17 430371549800S1 Active 14-20-603-263 NW NW 7 41S 25E 0820FNL 0550FWL MCELMO CREEK J19 430371635600S1 Active 14-20-603-263 NW NW 18 41S 25E 2056FNL 1997FWL MCELMO CREEK K18 430371549800S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K22 43037304000OS1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 2022FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1810FWL MCELMO CREEK L17 43037163600OS1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550700S1 Active 14-20-603-263 NW NE 7 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 1800FSL 2140FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW SE 18 41S 25E 1800FSL 1980FEL MCELMO CREEK M20 430371551000S1 Active 14-20-603-263 NW SE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK M20 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N17 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N17 430371551000S1 Active 14-20-603-263 NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NE 18 41S 25E 0660FSL 0660FSL MCELMO CREEK N19 430371551000S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551000S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 43037155100S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1800FNL 0660FWL MCELMO CREEK N21 43037155100S1 Active 14-20-603-263 NW NW NW 17												
MCELMO CREEK J19	WICELINIO CREEK	V 15	43037163840051	Active	14-20-603-2057	INW	SW	3	415	25E	1980FSL	0560FWL
MCELMO CREEK J19	MCELMO ODEEK	14.7	40007454000004		11 00 000 000							
MCELMO CREEK J21 430371549900S1 Active 14-20-603-263 NW NW 18 41S 25E 0400FNL 0575FWL												
MCELMO CREEK K18 430371635700S1 Active 14-20-603-263 SE NW 7 41S 25E 1830FNL 1808FWL MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE NW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE NW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371635800S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551500S1 Active 14-20-603-263 NW NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551600S1 Active 14-20-603-263 NW NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 NW NW NW 17 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551700S1 Active 14-20-603-263 SE NW NW NW 17 41S 25E 1850FNL 1890FWL										_		
MCELMO CREEK K20 430371550300S1 Active 14-20-603-263 SE SW 7 41S 25E 0660FSL 1810FWL MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 7 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE												
MCELMO CREEK K22X 430373040000S1 Active 14-20-603-263 SE NW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 2082FNL 1588FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 1801FWL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 1980FEL MCELMO CREEK M18 430371551100S1 Active 14-20-603-263 SE NE 7 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
MCELMO CREEK K24 430371635800S1 Active 14-20-603-263 SE SW 18 41S 25E 0660FSL 1801FWL MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW NE 7 41S 25E 1860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M19 430371551400S1 Active 14-20-603-263 NW NW								-			0660FSL	1810FWL
MCELMO CREEK L17 430371636000S1 Active 14-20-603-263 NW NE 7 41S 25E 0660FNL 1980FEL MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW SE 7 41S 25E 1860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW											2082FNL	1588FWL
MCELMO CREEK L19 430371550500S1 Active 14-20-603-263 NW SE 7 41S 25E 1860FSL 2140FEL MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 1850FNL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW								18	418	25E	0660FSL	1801FWL
MCELMO CREEK L21 430371550600S1 Active 14-20-603-263 NW NE 18 41S 25E 0820FNL 1980FEL MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0860FNL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW				Active	14-20-603-263	NW	NE	7	41S	25E	0660FNL	1980FEL
MCELMO CREEK L23 430371550700S1 Active 14-20-603-263 NW SE 18 41S 25E 1980FSL 1980FEL MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE			430371550500S1	Active	14-20-603-263	NW	SE	7	415	25E	1860FSL	2140FEL
MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK 018 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL			430371550600S1	Active	14-20-603-263	NW	NE	18	41S	25E	0820FNL	1980FEL
MCELMO CREEK M18 430371551000S1 Active 14-20-603-263 SE NE 7 41S 25E 1850FNL 0790FEL MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW NW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL		L23	430371550700S1	Active	14-20-603-263	NW	SE					1980FEL
MCELMO CREEK M20 430371551100S1 Shut-in 14-20-603-263 SE SE 7 41S 25E 0660FSL 0660FEL MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL			430371551000S1	Active	14-20-603-263			_		$\overline{}$		
MCELMO CREEK N17 430371551400S1 Active 14-20-603-263 NW NW NW 8 41S 25E 0810FNL 0660FWL MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL		M20						_	_			
MCELMO CREEK N19 430371551500S1 Active 14-20-603-263 NW SW 8 41S 25E 1850FSL 0500FWL MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL	MCELMO CREEK	N17						_				
MCELMO CREEK N21 430371551600S1 Active 14-20-603-263 NW NW 17 41S 25E 0660FNL 0660FWL MCELMO CREEK O18 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL	MCELMO CREEK											
MCELMO CREEK 018 430371551700S1 Active 14-20-603-263 SE NW 8 41S 25E 1830FNL 1890FWL								-				
MOSING ODESIA DATA MOSTASSIONED IN THE RESERVENCE TOOL WE								_				
MCELMO CREEK P17 430371551900S1 Active 14-20-603-263 NW NE 8 41S 25E 0660FNL 1980FEL				Active	14-20-603-263			_			0660FNL	1980FEL

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah


			1					Surfa	ice Lo	cation	
Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TN		NS Foot	EW Foot
The second second			- Clarac	Trog Zodoo II		- C.	1000		1410	110 1 000	LVV 1 OOL
MCELMO CREEK	P19	430371552000S1	Active	14-20-603-263	NW	SE	8	41S	25E	2140FSL	1980FEL
MCELMO CREEK	P21	430371636900S1	Active	14-20-603-263	NW	NE	17		25E	0660FNL	1980FEL
MCELMO CREEK	P23A	430373143900S1	Active	14-20-603-263	sw	NE	17			2531FNL	2325FEL
				585			1			-37	
MCELMO CREEK	L25	430371550800S1	Active	14-20-603-264	NW	NE	19	41S	25E	0660FNL	1980FEL
			V.II.							11.52	1,1,1,1,1
MCELMO CREEK	R17	430371597600S1	Active	14-20-603-359	NW	NW	9	41S	25E	0740FNL	0560FWL
MCELMO CREEK	R19	430371637300S1	Active	14-20-603-359	NW	sw	9	41S		1980FSL	0660FWL
MCELMO CREEK	R21	430371637400S1	Active	14-20-603-359	NW	NW	16			0511FNL	0562FWL
MCELMO CREEK	T17	430371638000S1	Active	14-20-603-359	NW	NE	9	_	25E	0675FNL	1933FEL
MCELMO CREEK	E21	430371634300S1	Active	14-20-603-370	NE	NE	14	41S	24E	0660FNL	0660FEL
MCELMO CREEK	E23	430371634400S1	Active	14-20-603-370	NE	SE	14	41S		2031FSL	0711FEL
MCELMO CREEK	G21A	430373097400S1	Active	14-20-603-370	NE	NW	13	41S		0867FNL	1883FWL
MCELMO CREEK	G23	430371634800S1	Shut-in	14-20-603-370	NE	SW	13	41S	24E	2092FSL	1899FWL
MCELMO CREEK	G25	430371634900S1	Active	14-20-603-370	NE	NW	24	41S	24E	0660FNL	1980FWL
MCELMO CREEK	123	430371635200S1	Active	14-20-603-370	NE	SE	13	41S		1980FSL	0660FEL
MCELMO CREEK	125	430371635300S1	Active	14-20-603-370	NE	NE	24	41S	24E	0530FNL	0820FEL
					1			300			
MCELMO CREEK	J11	430371635400S1	TA'd	14-20-603-372	NW	SW	31	40S	25E	1980FSL	0660FWL
MCELMO CREEK	J13	430371635500S1	Active	14-20-603-372	NW	NW	6	41S	25E	0621FNL	0580FWL
MCELMO CREEK	J15	430371595400S1	Active	14-20-603-372	NW	SW	6	41S	25E	1980FSL	0500FWL
MCELMO CREEK	K12	430371595500S1	Active	14-20-603-372	SW	SW	31	40S	25E	0670FSL	1970FWL
MCELMO CREEK	K14	430371595600S1	Active	14-20-603-372	SE	NW	6	41S	25E	1851FNL	1885FWL
MCELMO CREEK	K16	430371595700S1	Active	14-20-603-372	SE	SW	6	41S	25E	0660FSL	1816FWL
MCELMO CREEK	L09	430371635900S1	Active	14-20-603-372	NW	NE	31	40S	25E	0660FNL	1980FEL
MCELMO CREEK	L13	430371595900S1	Active	14-20-603-372	NW	NE	6	41S		0778FNL	1917FEL
MCELMO CREEK	L15	430371596000S1	Active	14-20-603-372	NW	SE	6	41S		1820FSL	1830FEL
MCELMO CREEK	M10	430371596100S1	Shut-in	14-20-603-372	SE	NE	31	40S	25E	1980FNL	0530FEL
MCELMO CREEK	M12	430371596200S1	Active	14-20-603-372	SE	SE	31	40S	25E	0590FSL	0585FEL
MCELMO CREEK	M14	430371596300S1	Active	14-20-603-372	SE	NE	6	41S	25E	2089FNL	0773FEL
MCELMO CREEK	M16	430371636100S1	Active	14-20-603-372	SE	SE	6	41S	25E	0660FSL	0660FEL
MCELMO CREEK	N09	430371596400S1	Shut-in	14-20-603-372	NW	NW	32	40S	25E	0628FNL	0615FWL
MCELMO CREEK	N11	430371596500S1	Active	14-20-603-372	NW	SW	32	40S	25E	2069FSL	0618FWL
	N13	430371596600S1	Active	14-20-603-372	NW	NW	5	41S	25E	0840FNL	0505FWL
MCELMO CREEK	N15	430371636300S1	Active	14-20-603-372	NW	SW	5	41S	25E	2140FSL	820FWL
MCELMO CREEK	012	430371596800S1	Active	14-20-603-372	SE	SW	32	40S	25E	0809FSL	1832FWL
	014	430371636500S1	Active	14-20-603-372		NW	5	418	25E	2056FNL	1997FWL
MCELMO CREEK	O16	430371596900S1	Active	14-20-603-372	SE	SW	5	418	25E	0660FSL	1980FWL
MCELMO CREEK	P09	430371636700S1	Active	14-20-603-372	NW	NE	32	408	25E	0598FNL	2100FEL
MCELMO CREEK	P11	430371597101S2	Active	14-20-603-372	NW	SE	32	40S	25E	2105FSL	2006FEL
MCELMO CREEK	P13	430371636800S1	Active	14-20-603-372	NW	NE	5	41S	25E	0610FNL	1796FWL
MCELMO CREEK	P15	430371597200S1	Active	14-20-603-372			5	41S	25E	1980FSL	1980FEL
MCELMO CREEK	Q10	430371597301S1	Active	14-20-603-372	SE	NE	32	40S	25E	1899FNL	0532FEL
MCELMO CREEK	Q16	430371597500S1	TA'd	14-20-603-372	SE	SE	5	41S	25E	0660FSL	0660FEL
NACTION OF THE PARTY OF THE PAR											
MCELMO CREEK	F13	430371634500S1	Active	14-20-603-4032				41S		0795FNL	0535FWL
MCELMO CREEK	F15A	430373114900S1	Active	14-20-603-4032		-		41S		1920FSL	0624FWL
MCELMO CREEK	G14	430371614300S1	Active	14-20-603-4032		NW	1	41S	24E	1980FNL	1980FWL
MCELMO CREEK	G16	430371614400S1	Active	14-20-603-4032	SE	SW	1	41S	24E	0820FSL	1820FWL
MCELMO CREEK	H13	430371635100S1	Active	14-20-603-4032	NW	NE		41S			2110FEL
MCELMO CREEK	I-14	430371614500S1	Active	14-20-603-4032	SE	NE		41S		1980FNL	0660FEL
				- TANASA							

GREATER ANETH FIELD UIC WELL LIST McElmo Creek lease, San Juan County, Utah

1		10 - 23- 270			Surface Location			4			
Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
								NSC.			
MCELMO CREEK	F17	430371549300S1	Active	14-20-603-4039	NW	NW	12	41S	24E	0740FNL	0500FWL
MCELMO CREEK	G18	430371549400S1	Active	14-20-603-4039	SE	NW	12	41S	24E	1980FNL	1980FWL
MCELMO CREEK	H15	430371549500S1	Active	14-20-603-4039	NW	SE	1	41S	24E	1980FSL	1980FEL
MCELMO CREEK	H17	430371549600S1	Active	14-20-603-4039	NE	NW	12	418	24E	0660FNL	1980FEL
MCELMO CREEK	118	430371570900S1	Active	14-20-603-4495	SE	NE	12	415	24E	1840FNL	0555FEL
1.2				- Aii							
MCELMO CREEK	E19	430371634200S1	Shut-in	14-20-603-5449	NE	SE	11_	41S	24E	1980FSL	0660FEL
MCELMO CREEK	G19	430371634600S1	Active	14-20-603-5450	NE	SW	12	41S	24E	1350FSL	1800FWL
MCELMO CREEK	120	430371571000S1	Active	14-20-603-5451	SE	SE	12	41S	24E	0990FSL	0500FEL
MCELMO CREEK	N07	430371636200S1	Active	I-149-IND-8839	NE	sw	29	40S	25E	2083FSL	745FWL
MCELMO CREEK	P07	430371636200S1	Active	I-149-IND-8839	NW	SE	29	40S	25E	1820FSL	2140FEL
MCELMO CREEK	O10	430371596700S1	Active	NOG99041325	SE	NW	32	40S	25E	2086FNL	1944FWL

Sundry Number: 42891 API Well Number: 43037161480000

			FORM 9					
	STATE OF UTAH DEPARTMENT OF NATURAL RESOL	LIDOTO						
	5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-2057							
SUNDF	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO							
Do not use this form for pro current bottom-hole depth, FOR PERMIT TO DRILL form	oposals to drill new wells, significan reenter plugged wells, or to drill hon n for such proposals.	ntly deepen existing wells below rizontal laterals. Use APPLICATION	7.UNIT OF CA AGREEMENT NAME: MCELMO CREEK					
1. TYPE OF WELL Water Injection Well	8. WELL NAME and NUMBER: NAVAJO P-4 (MCELMO R-13)							
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOU	IRCES		9. API NUMBER: 43037161480000					
3. ADDRESS OF OPERATOR: 1675 Boradway Ste 1950,		PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH					
4. LOCATION OF WELL FOOTAGES AT SURFACE:	Re-Surveyed 615' FNL	533' FWL	COUNTY: SAN JUAN					
QTR/QTR, SECTION, TOWNSH			STATE: UTAH					
11. CHEC	K APPROPRIATE BOXES TO INDI	CATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA					
TYPE OF SUBMISSION		TYPE OF ACTION						
,	ACIDIZE	☐ ALTER CASING	CASING REPAIR					
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	☐ CHANGE TUBING	CHANGE WELL NAME					
10/10/2013	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE					
SUBSEQUENT REPORT	✓ DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION					
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK					
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION					
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON					
	TUBING REPAIR	☐ VENT OR FLARE	WATER DISPOSAL					
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION					
Report Date:			OTHER:					
	WILDCAT WELL DETERMINATION	□ OTHER						
Resolute proposes	to sidetrack/deepen the s h the existing intervals. At		the Desert Creek IIC via open ocedure, well bore diagrams,					
		Approved b	ns tha					
1 1 . ~	1001/	Utah Divisio	ny ine No of					
6608		Oil, Gas and	d Mining					
4124	9174	• • • • • • •						
	54937	Datas (Yh. 2)						
51.6	56421	Dala W - Go	Date: 26-13					
-109.	184318	By:						
	Federal Approval of this Action is Necessary		N					
NAME (PLEASE PRINT) Sherry Glass	PHONE NU 303 573-4886	MBER TITLE Sr Regulatory Technician						
SIGNATURE N/A		DATE 9/24/2013						



Sundry Number: 42891 API Well Number: 43037161480000

ADDITIONAL INFORMATION TO SUPPORT Sundry – Notice of Intent Mc Elmo Creek Unit R-13

Sidetrack to Desert Creek – IIC Horizon

1. Formation Tops

Existing Formation Tops (MD):

Upper Ismay:	5268
Lower Ismay:	5274
Gothic Shale:	5390
Desert Creek 1A:	5405
Desert Creek 1B:	5436
Desert Creek 1C:	5456
Desert Creek IIA:	5473
Desert Creek IIB:	5494

Projected Formation Tops (MD):

Desert Creek IIC: 5509
Desert Creek III: 5580
Chimney Rock Shale: 5580

Total Depth: 5595 (in Chimney Rock)

- 2. Deeping will be via open hole of 3-3/8 inch Diameter from 5200 feet to 5595 feet.
- 3. Wellbore Diagrams
 - a) Existing Wellbore Diagram Attachment No. 1
 - b) Proposed Wellbore Diagram Attachment No. 2
- 4. BOP Diagram and Equipment Description Attachment No. 3
- 5. Drilling Mud Specifications
 - a) Proposed to drill out / deepen with N2 foamed fresh water fluid, in an underbalanced situation, or if conditions warrant,
 - b) CaCl₂ brine water will be used, and if this will not control formation pressure during the drilling operations,

c) Drilling mud with a salt polymer will be used if required for control of formation pressure during the drilling operations

RECEIVED: Sep. 24, 2013

Recompletion/Sidetrack
McElmo Creek Unit R-13
615' FNL & 533' FWL
Sec 4, T41S, R25E
San Juan County, Utah
API 43-037-16148

<u>Recompletion Procedure</u> (Sundry – Notice of Intent)

- 1. MIRU.
- 2. Pull & LD production equipment.
- 3. Clean out to 5390' (PBD).
- 4. RU electric line. Log casing inspection log from 5250' back to surface. Run cement bond log from 5,350' to 1000', to evaluate cement for future P&A ops and to confirm top of the Chinle formation.

NOTE: Horsley-Witten corrective action is not required on this well.

- 5. Pressure test production casing by setting CIBP at ~5210'.
- 6. Set whipstock at 5,200' and mill window. Drill 3-7/8" OH sidetrack to TD of 5,595' TVD.
- 7. Stimulate the open hole section.
- 8. Install injection tubing and injection packer at 5,150'
- 9. RDMOL.
- 10. Perform MIT
- 11. Return well to injection.

Job Scope —Sidetrack and recomplete Desert Creek IIC via open hole and inject with existing intervals.

Sundry Number: 42891 API Well Number: 43037161480000

And you was flamened to the week.

West No.	DWP: No.	1990	11647	Sec Two-In	GPS (Grandinaties	East:	(1905)	(Applie	Complished	Contament
MilEme		_					-	_			
1-171	PII-	95-529	67-223	18418-25	THE RESERVE	TRACT COURTS	058950	4121100	WORRE	SEL WARREN	Auntorea
3	124715	95-630	87-201	11415-25	37° 15 726 N	100F 17 247 N	955410	4120050	70/18 A3/77	5/14/61	Charles Helpt C. E. Abundoned .
3	17-0710	25-631	97-202	17415-25	37°13 15€ N	010F 12 187 N	690580	4120460	29758 A3777	10/1001	
ž.	12-0717	15-632	97-203	17-415-250	37° 13.100 N	019 12 147 N	655500	4125520	29738. A3777	10/12/61	
5	120718	16-633	97-201	17-418-25E	37° 13: 132 N	013F 12 006F N	000000	412/460	7677E A2777	10/19/61	
6	12-0219	95-534	97-205	17-41S-25E	37° 13 090' N	019 12 83 N	658000	41,70600	31023 A	4-20/62	
Σ	12-6720	95-512	97-205	17415-25	37° 13.055 N	019" (2032 N	G5/U-725	412-45		4/30/97	
•	12-0721	95-513	37-207	7-415-76E	37" 13 1035 N	019° 12.980 N	659800	4120296	21023 A	54/60	
9.	12-0/22	66-614	97-20±	17-415-26E	374 (3.010 N	100°.11.500°.N	06/08/80	4120250	31023 A	510/01	
. 10	11-0722	05-515	67.209	17-415-25E	37* 12.996 N	100° 11 8957 N	655960	4120220	31073 A	5/12/62	
स	12-6734	95-616	97-210	12-415-24E	37 12 007 N	108F (1.809 N	GIODES	4120216	29/16 31023	11/25/62	
15	12-6725	56-617	17-211	17-415-25E	37 13 02E N	100F 11 705 N	660125	4170270	29718 A	12/5/02	Not in Service including
15	12-0720	06-618	97-212	15-415-25E	S7* 13.432 N	109° 12 415 N	659145	4121010	20178 31023	12962	
354	12-0727	95-519	97-213	16-413-26E	37º 13 436 N	100° 12 473 N	659645	4121010	A-31023	12/12/52	
15	12-0728	56-620	97-214	17-415-26F	37" 13 404 N	106F 12 365 N	659230	4120960	A-31023	12/25/62	
16	17-0729	96-621	97-215	17-415-JEE	37" 10 361 N	109F 12 341 N	659205	412.870	A-31023	1/6/10	
-57	17-0730	98-522	97-216	17-415-25E	37 13 317 N	1017 12 325 N	650265	4120785	A-31023	1/12/63	
16	12-0731	96-673	97-217	17-415-25E	37° 13.027 N	109* 12 894 N	653645	4120270	26718. A3777	4963	
10	12-0732	05-624	97-216	17-415-25E	27" 13 DOZ N	109° 12 900 N	659925	4120730	2971E A2777	4/10/63	
20	17-6733	95-525	57-719	17-415-25E	37 13 062 N	100° 12 104 N	659780	4120335	29716 A3777	4/17/63	
21	12-0734	95-526	97-220	17-415-255	37º 13 013 N	109° 12,045 N	650635	4120240	29718	4/15/93	
22	12-0735	95-527	97-221	17-415-25E	37 13 030 N	105* 12.015 14		4120278	A9777, 20718	4/22/53	Community
0.74	12-0736	16-575	97-227	17-415-25€	37° 13,475 N	1007 12:504 N	65R615	4120300		3/14/64	former oil with MCU D-24, 13-3/8 curt 5-5/8 prot oligs 120 deep, but of service server 1975, peeds PAA

HULLA 65-96 Ways to


Sundry Number: 42891 API Well Number: 43037161480000


Market with Religion (See also 1944)

	DMP No.	1660	1997	tree world	@18 ¢	-cukhing	1 (1994)	North (1966)	Appr 4	CLINGS	Comments.
cathemate											
_11	09-3614	96-495	57-224	5-4:5-245	37 12 331 N	109" 1" 603 W	65074	1771300	33-773	11/21/61	
- 2	CHECK 15	05-497	67-225	5-435-24E	37" (5 330" N	100* 17.565 W	65-05-00	4124360	40.775	11/25/61	
- 3	CO-COS 16	95-495	\$7.225	5-415-74E	37° 15 337 N	109" 17.926 W	650360	4174380	32-733	12/2/61	
4	09-0617	\$5-498	117-227	5-418-24E	37" 15 331 N	100° 17 900' W	C50470	4174380	35.725	12/3/67	
	06-0615	95-000	97-22E	5-415-24E	37 15 335 N	109° 17.639 W	0.0000	4174380	22711	12/11/02	
6	09-0619	16-561	87-229	5-415-24E	37" 15 340 N	100° 17,776 W	850840	£124380	32-733	12721063	
7	05 (0320)	95-602	27-230	5-418-24E	37 15 353 N	100° 17 750 W	650500	4174360	32-733	12/15/02	
b	00-0021	95-503	97-231	5-418-24E	37" 15 355 N	101F 17 720 W	651640	4124380	32.713	12/21/02	
5	06-GE27	56-702	67-232	5-41S-24E	37" 15.360 N	109" 17.669 W	1151120	4174400	32,733	12/27/62	
10	09 CA73	25-501	H1-223	5-4115-24E	37" 15 354 N	100/17 650 W	£51205	4124426	32-733	1/2/65	
11	00-0024	95-505	07-234	5-4*5-24E	37" 15 3CE N	109° 17 627 W	651290	4174430	32.715	1/540	
13	06-0625	95-500	07-235	5-415-24E	37° 15 MH N	1007 17 545 W		4174430	37-733	1/5/07	
-34	00 0626	80-507	D/-230	5-415-24E	37" 15 367 N	1097 17:500 W	851560	¢124430	32-733	1/15/52	
15	09-0527	98-508	57-727	54:3-74	27" 15 ME N	1007 17 464 W	CÓ 1640	4126430	32.733	2/3/63	
16	09-0429	96-500	97-238	5-413-24E	52° 15 372 N	109 17 ACT W	651760	4124400	32-733	3463	
17	00000	95-510	D7-230	14:5-24	37" 15 374 N	100° 17.361 W	661840	4124480	32 733	29463	
54-33	00-0542	95-611	27-240	14-415-24	37 (5,382 N	109 17.560 W	545-85-0	4115050	Marie Cont.	(Defending)	Water and abandoned CC C1-1205. Cut & Copped
77772	15412	\$100 Sec. 500		A-235-014-015	American State of the State of	ATTENDED	72.4 10.7 2017		STEEL STATE	112	The state of the s
	No. of Concession, Name of Street, or other Persons and Street, or other P	PROPERTY.				PARKETE SALE	Harris.		建制的		The state of the s
Summary		35	operated wells	(S S S S S S S S S S S S S S S S S S S		MeKane sati		(Chronic	SEE HAD		The state of the s
ummary		7	not prod	85-628	R\$-617	MEKANE SAM			SEE ISAN		The second secon
Summary		10.24	noi prod abord	96-529	16-617 86-671				REF INTO	NA STATUTE	The second secon
iummary		2	noi prod shand. NYU	96-629 96-527	96-611				電影形		
Summary	W 115/Y	10.24	not prod sharet NYU Lotal VA	96-529	MESSA ROMASSAE						
Summary		2	not prod sharet NYU Lotal VA	96629 96-527 rills in listed in 6-496 to 96-62	16-671 ROMA-55-(6 6 & 95-202						
Additional		2	not prod sharet NYU Lotal VA	96-629 96-527 ells in listed in	16-671 ROMA-55-(6 6 & 95-202	or braks	120 301		Appl a	Concieted	Conxmorts
Additional Wells al Ri		2	not prod sharet NYU Lotal VA	96-629 96-527 Ills in listed in 6-496 to 96-62 Sec-Two-Hig	16-671 ROMA-55-(6 6 & 95-202	oordeaks			Appl V	Concieted 422964	Commenta
Additional Wells a) Ri		2	not prod sharet NYU Lotal VA	96-629 96-527 offis in listed in 6-496 to 96-62 Sec-Twip-fig 5-215-24E	# 95-611 ROMA-\$5-66 # 8 95-202	O-E-95117.	19 (1) 3 (1) C		2.40		Commenta
Additional Wells a) R:		2	not prod sharet NYU Lotal VA	96-629 96-527 other instead in 6-406 to 96-62 Sec. Two-fig 5-415-24E 5-415-24E	95-601 ROMA-SE-66 & a 96-202 SP-5 C	100F 15.760F W	A CONTRACTOR OF THE CONTRACTOR		32:773	4/22/94	Соптина
Additional Wells a) R:		2	not prod sharet NYU Lotal VA	96-527 96-527 illian isated in 6-406 to 96-62 Sec-Twip-Hg 5-415-24E 5-415-24E 5-415-24E	95-611 ROMA-SE-66 6 & 96-202 SP 5 C 37-15-217 N 37-15-220 N	100° 16 760 W 100° 10 888 W	17.13.000		31-773 21-275	4/22/94	Comments In service to Service

ATTACHMENT 1 McELMO CREEK UNIT # R-13 **Current WBD GREATER ANETH FIELD** 615' FNL & 533' FWL SEC 4-T41S-R25E SAN JUAN COUNTY, UTAH **INJECTOR** API 43-037-16148 GL 4711' Csg Leak @ 300' & 688' Szq'd 09/30/71 Hole Size: 17-1/4" Tight spots in casing @ 1200' 1900' & 5350' dtd 03/17/69 Csg Leak @ 915 Conductor Pipe: 13-3/8" 48# set at 117' w/ Sqz'd 09/30/71 200 sx cmt. Circ to surface. Hole Size: 11" Csg Leak @ 1041' Sqz'd 09/30/71 Surface Casing: 8-5/8" 24# Set at 1503' w/ 1250 sx cmt. Circ to surface Hole Size: 6-3/4" BHA dtd 11/05/90 171 jts 2-3/8" I.P.C. Tubing Csg leak @ 5023' Sqz'd 3-3/4" x 2-3/8" x 1.81 "F" HEL On/off Tool @ 5292' 09/30/71 Baker Model "B" DHSOV @ 5293' Baker 43B Inverted Lok-set Packer w/6PE system @ 5295' 5354-5366' Sqz'd dtd 11/07/90 5374-5384' Sqz'd dtd 11/07/90 KOP @ 5395' dtd 11/07/90 CIBP at 5395' dtd 11/07/90 5406-5411' dtd 10/17/90 5414-543' dtd 10/17/90 5456-5476' dtd 10/17/90 5480-5487' dtd 10/17/90 Sidetrack TD at 5520' (3-7/8" openhole) 2 deg @ 5514' 11/07/90 5494-5508' dtd 10/17/90 CICR @ 5515' dtd 11/07/90 5530-5547' Sqz'd dtd 11/07/90 Pushed RBP to 5623' dtd 11/16/83 5563-5578' Sqz'd dtd 11/07/90 JUNK ORIGINAL PBTD 5645' Production Casing: 4.5" 9.5# set at 5662' w/ 250 sx cmt. Calc 5662' TD max TOC @ 3515'. G.L.M. 11/12/02 MCU # R-13

ATTACHMENT 2 McELMO CREEK UNIT # R-13 **Proposed WBD GREATER ANETH FIELD** 615' FNL & 533' FWL SEC 4-T41S-R25E SAN JUAN COUNTY, UTAH **INJECTOR** API 43-037-16148 GL 4711' Csg Leak @ 300' & 688' Szq'd 09/30/71 Hole Size: 17-1/4" Tight spots in casing @ 1200' 1900' & 5350' dtd 03/17/69 Csg Leak @ 915 Conductor Pipe: 13-3/8" 48# set at 117' w/ Sqz'd 09/30/71 200 sx cmt. Circ to surface. Hole Size: 11" Csg Leak @ 1041' Sqz'd 09/30/71 Surface Casing: 8-5/8" 24# Set at 1503' w/ 1250 sx cmt. Circ to surface Hole Size: 6-3/4" Csg leak @ 5023' Sqz'd 166 jts 2-7/8" J-55 FiberlineTubing 09/30/71 5-1/2" Arrowset Packer @ 5,170' KOP @ 5,200'/CIBP @ 5,210' 5354-5366' Sqz'd 11/07/90 3-7/8" OH 5374-5384' Sqz'd 11/07/90 KOP @ 5395' 11/07/90 CIBP at 5395' dtd 11/07/90 5406-5411' dtd 10/17/90 5414-543' dtd 10/17/90 5456-5476' dtd 10/17/90 5480-5487' dtd 10/17/90 5494-5508' dtd 10/17/90 TD 5,590' CICR @ 5515' dtd 11/07/90 Sidetrack TD at 5520' (3-7/8" openhole) 2 deg Pushed RBP to 5623' dtd 11/16/83 @ 5514' 11/07/90 5530-5547' Sqz'd dtd 11/07/90 ORIGINAL PBTD 5645' 5563-5578' Sqz'd dtd 11/07/90 TD 5662' Production Casing: 4.5" 9.5# set at 5662' w/ 250 sx cmt. Calc max TOC @ 3515'. G.L.M. 11/12/02 MCU # R-13






Sundry Number: 42891 API Well Number: 43037161480000 CHARLES CAHONE HESA AVAJO TROBE F 16 T-AFBARAS L-119MAVAR TIPER 19 MYARITHE COM MAYAR K-18 /AJD TRACT # ED F-MYANTAPITE WYAT FELS NAVALO TRIBE AND INTERSO HEET HOLD CHEEK WASHITE SO WELL - MYANT ITEME WETH METH U H385 HICETHAN CHEEK MYA 7 called Fas Rite Warth and the same with NAVATO C-33-31 MOETHE. HCELME CR I-II MCELAE T 40 S McELMO HICELHO CHEEK L-12 CREEK UNIT R-13 T 41 S NAVALID C-31-5 MI. 2.7 STATE OF WAXAB S. Har HCC3.HC SET-13 de V-14 NAVAJO C 22-5 OCELNO D-14) MET-II MAYAJO C 48-SAN D HCELHE CREEK I-14 MANUAL OF MANUAL OF STREET ARXAN PER MAN CH NAVA III C 33-6 CH O-15 ● HCELMU ML 2 CHEEK V-16 SE THE GFT-1E HET HE HOELHE CR V-NAVALO C-3 OICELNO D-363 MAYA II C-E NCELHO CR CREEK V-17 8F3-17 破問, WAYALE 1-178 12 1 13 H GE K-17 NAVA E 114-10 HCELHO COK 9-17 MYAN 4178 CRES-B WAYAR WAR REAL SE OF L-IS · KET HE HCELIED CR J-10 STATE AND MYA-0 114~4 N A 1-13 CHCELHE T-199 HOST NO ary B 65 dri-B NAVAJO 114-27 OKCELNO J-2D **883749** H₂53 SE P-E SCALE = 3000'HCELHO CR 0-21 MAYA III 114-22 1500 3000 Active Active MP-18 QUADRANGLES HCELMI CREEK CONTROL 1-15 MAYALO 114-7 OKCELNO N-230 ANETH \approx MAVAJO J 13-1 O OCELNO R-230 CH F-ES NAVAJO CANYON PROPOSED WELL LOCATION FOR •UNITED • RESOLUTE NATURAL RESOURCES FIELD SERVICES INC. McELMO CREEK UNIT R-13 SCALE: 1" = 3000 P.O. BOX 3651 **EXHIBIT** FARMINGTON, N.M. JOB No. 10562 **EXISTING ROAD** (505) 334-0408 ACCESS/EGRESS 2A DATE: 09/09/13 DWG.#: 10562T01

WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 09/24/2013	API NO. ASSIGNED: 43-037-16148
WELL NAME: NAVAJO P-4 (MCELMO R-13) OPERATOR: RESOLUTE NATURAL (N2700) CONTACT: SHERRY GLASS	PHONE NUMBER: 303-573-4886
PROPOSED LOCATION:	INSPECT LOCATN BY: / /
NWNW 04 410S 250E	Tech Review Initials Date
SURFACE: 0615 FNL 0533 FWL BOTTOM: 0615 FNL 0533 FWL	Engineering
COUNTY: SAN JUAN	Geology
LATITUDE: 37.25694 LONGITUDE: -109.18632 UTM SURF EASTINGS: 660837 NORTHINGS: 41249	Surface
FIELD NAME: GREATER ANETH (365	
LEASE TYPE: 2 - Indian LEASE NUMBER: 14-20-603-2057 SURFACE OWNER: 2 - Indian	PROPOSED FORMATION: DSCR COALBED METHANE WELL? NO
Plat Bond: Fed[] Ind[2] Sta[] Fee[] (No. PA002769) Potash (Y/N) Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 12-0736) RDCC Review (Y/N) (Date:) Mr Fee Surf Agreement (Y/N) Intent to Commingle (Y/N)	LOCATION AND SITING: R649-2-3. Unit: MCELMO CREEK R649-3-2. General
COMMENTS: STIPULATIONS:	nt Oppriva C



API Number: 4303716148

Well Name: NAVAJO P-4 (MCELMO R-13)


Township: T41.0S Range: R25.0E Section: 04 Meridian: S Operator: RESOLUTE NATURAL RESOURCES

Map Prepared: 9/25/2013 Map Produced by Diana Mason









Lieutenant Governor

State of Utah

DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA

Division Director

September 26, 2013

Resolute Natural Resources 1675 Broadway, Ste 1950 Denver, CO 80202

Subject: Navajo P-4 (McElmo R-13) Well, 615' FNL, 533' FWL, NW NW, Sec. 4, T. 41 South, R. 25 East, San Juan County, Utah

Ladies and Gentlemen:

Pursuant to Utah Code Ann. §40-6-1 et seg., and Utah Administrative Code R649-3-1 et seq., the Utah Division of Oil, Gas and Mining issues conditions of approval, and permit to drill the listed well. This permit is issued in accordance with the requirements of Cause: 152-09. The expected producing formation or pool is the Desert Creek Formation(s), completion into any other zones will require filing a Sundry Notice (Form 9). Completion and commingling of more than one pool will require approval in accordance with R649-3-22.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-037-16148.

John Rogers Associate Director

JR/bgh/js Enclosures

cc: San Juan County Assessor

Bureau of Land Management, Monticello Office



Operator:	Resolute Natural Resources	
Well Name & Number	Navajo P-4 (McElmo R-13)	
API Number:	43-037-16148	
Lease:	14-20-603-2057	_

Location: NW NW Sec. 4 T. 41 South R. 25 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

The operator is required to notify the Division of Oil, Gas and Mining of the following actions during drilling of this well:

Within 24 hours following the spudding of the well – contact Carol Daniels at 801-538-5284 (please let a voicemail message if not available)
 OR

Submit an electronic sundry notice (pre-registration required) via the Utah Oil & Gas website at http://oilgas.ogm.utah.gov

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dustin Doucet at (801) 538-5281 office (801) 733-0983 after office hours

3. Reporting Requirements

All reports, forms and submittals as required by the Utah Oil and Gas Conservation General Rules will be promptly filed with the Division of Oil, Gas and Mining, including but not limited:

- Entity Action Form (Form 6) due within 5 days of spudding the well
- Monthly Status Report (Form 9) due by 5th day of the following calendar month
- Requests to Change Plans (Form 9) due prior to implementation
- Written Notice of Emergency Changes (Form 9) due within 5 days
- Notice of Operations Suspension or Resumption (Form 9) due prior to implementation
- Report of Water Encountered (Form 7) due within 30 days after completion
- Well Completion Report (Form 8) due within 30 days after completion or plugging
- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

	STATE OF UTAH		FORM 9
	5.LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-2057		
SUNDR	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO	
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME: MCELMO CREEK		
1. TYPE OF WELL Water Injection Well	8. WELL NAME and NUMBER: NAVAJO P-4 (MCELMO R-13)		
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOU	9. API NUMBER: 43037161480000		
3. ADDRESS OF OPERATOR: 1700 Lincoln Street, Suite	2800 , Denver, CO, 80203 4535	PHONE NUMBER: 303 534-4600 Ext	9. FIELD and POOL or WILDCAT: GREATER ANETH
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0615 FNL 0533 FWL			COUNTY: SAN JUAN
QTR/QTR, SECTION, TOWNSH	HIP, RANGE, MERIDIAN: 04 Township: 41.0S Range: 25.0E Mer	ridian: S	STATE: UTAH
11. CHEC	K APPROPRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
NOTICE OF INTENT	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
Approximate date work will start:	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
11/22/2013	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	✓ TEMPORARY ABANDON
	l		WATER DISPOSAL
DRILLING REPORT	TUBING REPAIR	☐ VENT OR FLARE ☐	
Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
Resolute Natural R that the T&A on	completed operations, clearly show Resources respectfully submi a the above well was comple the activity summary and c	its this sundry as notice eted on 11/22/2013.	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 07, 2014
NAME (PLEASE PRINT) Erin Joseph	PHONE NUME 303 573-4886	BER TITLE Sr. Regulatory Analyst	
SIGNATURE N/A		DATE 10/7/2014	

Sundry for Temporary Abandonment
McElmo Creek Unit R-13
615' FNL & 533' FWL
Sec 4, T41S, R25E
San Juan County, Utah
API 43-037-16148

(Summary of Work)

- 1. MIRU Key 27 on 11/11/13
- 2. Ran CBL and MTT tool down to 5,300'
- 3. Set CIBP at 5,220', with whipstock on top. Attempted cut first window, cut window at 5,204'. Unsuccessful exit. 11/15/13
- 4. Pull up hole, set CIBP at 5,000 with whipstock. Attempted cut second window, cut window at 4,977'. Unsuccessful exit. 11/19/13
- 5. Decided to T&A, set RBP @ 4,480' 11/22/13
- 6. Pressure test RBP and casing to 740 psi for 30 min
- 7. RDMO location
- 8. Well is currently T&A as of 11/22/13

ADDITIONAL INFORMATION TO SUPPORT Mc Elmo Creek Unit R-13

1. Formation Tops

Existing Formation	Tops (MD):
Upper Ismay:	5268
Lower Ismay:	5274
Gothic Shale:	5390
Desert Creek 1A:	5405
Desert Creek 1B:	5436
Desert Creek 1C:	5456
Desert Creek IIA:	5473

2. Wellbore Diagrams -

Desert Creek IIB:

a) Existing Wellbore Diagram - Attachment No. 1


5494

McELMO CREEK UNIT # R-13

GREATER ANETH FIELD 615' FNL & 533' FWL SEC 4-T41S-R25E SAN JUAN COUNTY, UTAH API 43-037-16148

ATTACHMENT 1 Current WBD

INJECTOR







MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining

JOHN R. BAZA
Division Director

December 11, 2014

Division Director

43 037 16148 Navajo P-4 4 415 25E

Resolute Natural Resources 1675 Boradway Ste 1950 Denver, CO 80202

Re: APDs Rescinded for Resolute Natural Resources, San Juan County

Ladies and Gentlemen:

Enclosed find the list of APDs that is being rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Miana Mason

Environmental Scientist

cc: Well File

Bureau of Land Management, Monticello



43-037-15966 NAVAJO C 11-5 (MCELMO N-13) DEEPENING
43-037-16149 NAVAJO P-1 (MCELMO R-15) DEEPENING
43-037-15968 MCELMO O-12 DEEPENING
43-037-30320 MCELMO CR M-13 DEEPENING

43-037-16148 NAVAJO P-4 (MCELMO R-13) DEEPENING